



N-Squared Software N2DSG
Diameter Protocol Conformance Statement

Version 2021-05

1 Document Information

1.1 Scope and Purpose

This document describes the implementation of the Diameter protocol in the N-Squared Diameter/Signalling Gateway for outbound communication with an OCS for real-time charging using the N-Squared Service Control Point. It should be read in conjunction with the N2SCP Technical Guide [R-1] and N2DSG Technical Guide [R-2].

This document assumes a working knowledge of the relevant Diameter protocol documents and its network implementation.

1.2 Definitions, Acronyms, and Abbreviations

| Term | Meaning |
|-------|--|
| 3GPP | Third-Generation Partnership Project |
| ASA | Abort Session Answer |
| ASR | Abort-Session-Request |
| AVP | Attribute-Value Pair |
| BFT | Billing Failure Treatment |
| BAU | Business As Usual |
| BSS | Business Support Systems |
| CAMEL | Customized Applications for Mobile networks Enhanced Logic |
| CCA | Credit Control Answer |
| CCR | Credit-Control-Request |
| CEA | Capabilities Exchange-Answer |
| CER | Capabilities-Exchange-Request |
| CGI | Cell Global ID |
| DP | Detection Point |
| DPA | Disconnect-Peer-Answer |
| DPR | Disconnect-Peer-Request |
| DTLS | Datagram Transport Layer Security |
| DSG | Diameter/Signalling Gateway |
| DWA | Device Watchdog Answer |
| DWR | Device-Watchdog-Request |
| ECUR | Event Charging with Unit Reservation |
| EDR | Event Data Record |
| ETSI | European Telecommunications Standards Institute |
| IEC | Immediate Event Debit |
| IN | Intelligent Network |
| INAP | Intelligent Network Application Part |
| IP | Internet Protocol |
| IPSec | IP Security |
| ISDN | Integrated Services Digital Network |

| Term | Meaning |
|------|--|
| LAC | Location Area Code |
| MCC | Mobile Country Code |
| MF | Mobile Forwarded |
| MNC | Mobile Network Code |
| MO | Mobile Originated |
| MSCC | Multiple Services Credit-Control |
| MT | Mobile Terminated |
| N2 | N-Squared |
| NGIN | Next Generation Intelligent Network |
| OCS | Online Charging Server |
| OSS | Operational Support Systems |
| RAA | Re-Auth-Answer |
| RAR | Re-Auth-Request |
| RFC | Request For Comments |
| SCP | Service Control Point |
| SCTP | Stream Control Transmission Protocol |
| SCUR | Session Charging with Unit Reservation |
| TCP | Transmission Control Protocol |
| TLS | Transport Layer Security |
| TS | Technical Specification |
| Tx | Diameter client response pending timer |

1.3 References

The following documents are referenced within this document:

| Reference | Document |
|-----------|---|
| [R-1] | N2 SCP Technical Guide |
| [R-2] | IETF RFC 6733 (Diameter Base Protocol, October 2012) |
| [R-3] | IETF RFC 8506 (Diameter Credit Control Application, March 2019) |
| [R-4] | 3GPP TS 32.299 Diameter charging applications (Release 16.0.0) |
| [R-5] | N2 DSG Technical Guide |

1.4 Ownership and Usage

This document, including the information contained herein, is proprietary to N-Squared Software (NZ) Limited but released for informational purposes only.

This document shall not be used or reproduced for any other purpose without the written approval of N-Squared Software (NZ) Limited.

N-Squared Software (NZ) Limited

PO Box 5035
Terrace End
Palmerston North 4410
New Zealand

2 Contents

| | | |
|-------|---|----|
| 1 | Document Information | 2 |
| 1.1 | Scope and Purpose..... | 2 |
| 1.2 | Definitions, Acronyms, and Abbreviations..... | 2 |
| 1.3 | References | 3 |
| 1.4 | Ownership and Usage | 4 |
| 2 | Contents..... | 5 |
| 3 | Introduction | 7 |
| 3.1 | N2 DSG Overview | 7 |
| 3.2 | Diameter Overview | 7 |
| 3.3 | General Restrictions..... | 7 |
| 4 | Diameter Messaging | 8 |
| 4.1 | Message Encoding | 8 |
| 4.1.1 | Diameter Headers | 8 |
| 4.1.2 | Diameter AVPs | 8 |
| 4.1.3 | AVP Data Types | 9 |
| 4.2 | Connection Management | 9 |
| 4.2.1 | Capability Exchange Messages..... | 10 |
| 4.2.2 | Disconnect Peer Messages..... | 11 |
| 4.2.3 | Device Watchdog Messages | 11 |
| 4.3 | Duplicate Messages | 12 |
| 4.3.1 | Received Messages | 12 |
| 4.3.2 | Sent Messages..... | 12 |
| 4.4 | Credit Control Messaging..... | 12 |
| 4.4.1 | Credit Control Messages | 13 |
| 4.4.2 | Abort Session Messages..... | 20 |
| 4.4.3 | Reauthorization Messages | 22 |
| 5 | Diameter Charging Scenarios..... | 23 |
| 5.1 | Call Session..... | 23 |
| 5.1.1 | Call Session, Success, OCS Termination | 23 |
| 5.1.2 | Call Session, Success, User Termination | 24 |
| 5.1.3 | Call Session, Continuation..... | 24 |
| 5.1.4 | Call Session, Validity Expiration | 25 |
| 5.1.5 | Call Session, Denied | 25 |
| 5.1.6 | Call Session, Tx Timeout..... | 26 |

| | | |
|-------|---|----|
| 5.2 | Event Reservation | 26 |
| 5.2.1 | Event Reservation, Success | 26 |
| 5.2.2 | Event Reservation, Revoke | 27 |
| 5.2.3 | Event Reservation, Denied | 27 |
| 5.2.4 | Event Reservation, Tx Timeout | 27 |
| 5.3 | Event Debit..... | 28 |
| 5.3.1 | Event Debit, Success | 28 |
| 5.3.2 | Event Debit, Refund | 28 |
| 5.3.3 | Event Debit, Denied | 29 |
| 5.3.4 | Event Debit, Tx Timeout..... | 30 |
| 5.4 | Other Scenarios..... | 30 |
| 5.4.1 | Balance Check | 30 |
| 6 | RFC Compliance | 31 |
| 6.1 | Compliance to RFC 6733 (Diameter Base Protocol)..... | 31 |
| 6.2 | Compliance to RFC 8506 (Diameter Credit Control Application)..... | 39 |
| 6.3 | Compliance to 3GPP TS 32.299 (Release 16) | 45 |
| 7 | Appendix A: Example CAMEL-Diameter Mapping | 70 |
| 7.1 | Example Credit-Control-Request for CAMEL | 70 |
| 7.2 | Example Credit-Control-Answer for CAMEL | 72 |
| 8 | Appendix B: N-Squared Diameter AVPs..... | 74 |

3 Introduction

3.1 N2 DSG Overview

The N-Squared Diameter/Signalling Gateway is a protocol conversion appliance that integrates a Diameter-capable OCS with IN and NGIN networks for charging and control of voice calls and SMS events. It provides both session and event control for prepaid, postpaid, and hybrid networks.

N2DSG is deployed on the N-Squared Service Control Point, which provides high availability and linear horizontal scalability and is deployed on low-cost commodity x86-64 hardware with minimal third-party licensing charges. The result is a cost-effective deployment which can be easily upscaled in response to future business growth.

3.2 Diameter Overview

The Diameter protocol is widely used for authorization and control of traffic. The base protocol is defined in RFC 6733 [R-2], with credit control extensions from RFC 8506 [R-3]. Credit control is further extended by the 3GPP charging applications [R-4].

One notable feature of the Diameter protocol is its ability to allow custom Attribute-Value Pairs (AVPs) to be used when both the client and server are configured to understand them.

3.3 General Restrictions

Specific compliance to the RFCs and TS documentation is described in section 6: *RFC Compliance*, but there are some high-level Diameter interactions and features that are not supported by N2DSG:

- In-band security over TLS/DTLS is not supported. If desired, an external IPSec gateway can provide transport layer security.
- N2DSG does not supply Diameter MSCC credit pooling or tariff change. The standard validity time and quota grant mechanisms are used for credit control.
- Validity time of session grants cannot be enforced
- Although N2DSG supports MSCC messaging, it does not support MSCC sub-sessions within a single parent session. MSCC sessions and their parent are tightly coupled.
- Diameter peer election, request proxying, and request forwarding are not supported. N2DSG is intended to be a terminal client endpoint for credit control servers in a single ecosystem.

4 Diameter Messaging

4.1 Message Encoding

All Diameter messaging sent by N2DSG will follow the basic encoding of RFC 6733. Received Diameter messages must also follow this encoding.

4.1.1 Diameter Headers

All Diameter headers sent by N2DSG comply with RFC 6733 section 3.

| Field | Type / Length | Notes |
|-----------------------|----------------------|--|
| Version | 1 octet | Always set to 1. |
| Message Length | 3 octets | Total message length, including header. |
| Command Flags | 1 octet | Set as per RFC 6733, i.e. <i>R P E T r r r r</i> . |
| Command Code | 3 octets | Only the following command codes are supported: <ul style="list-style-type: none"> • Code 257: Capabilities-Exchange-Request (CER) and Capabilities-Exchange-Answer (CEA) • Code 280: Device-Watchdog-Request (DWR) and Device-Watchdog-Answer (DWA) • Code 282: Disconnect-Peer-Request (DPR) and Disconnect-Peer-Answer (DPA) • Code 272: Credit-Control-Request (CCR) and Credit-Control-Answer (CCA) • Code 274: Abort-Session-Request (ASR) and Abort-Session-Answer (ASA) |
| Application-ID | 4 octets | Set to 4 for CCR/CCA and ASR/ASA, otherwise 0. |
| Hop-by-Hop Identifier | Unsigned32, 4 octets | Set as per RFC 6733. |
| End-to-End Identifier | Unsigned32, 4 octets | Set as per RFC 6733. |

Table 1: Diameter headers

4.1.2 Diameter AVPs

All Diameter AVPs sent by N2DSG comply with RFC 6733 section 3.

| Field | Type / Length | Notes |
|------------|---------------|---|
| AVP Code | 4 octets | - |
| AVP Flags | 1 octet | Set as per RFC 6733, i.e. <i>V M P r r r r r</i> . Flag values will be set according to the individual AVP definition. |
| AVP Length | 3 octets | Total AVP length, including header. |
| Vendor-ID | 4 octets | Included only if required for the vendor-specific AVP definition. |
| Data | Variable | As specified by the AVP Code and AVP Length. |

Table 2: Diameter AVPs

In addition to the stated compliance to standard AVPs given in *Table 10: N2DSG compliance to RFC 6733*, *Table 11: N2DSG compliance to RFC 8506*, *Table 12: N2DSG compliance to TS 32.299*, and the

N-Squared vendor-specific AVPs specified in *Table 15: N-Squared vendor-specific AVPs*, N2DSG may be configured to receive and send additional arbitrary standard or vendor-specific AVPs for use in rating. Refer to the N2DSG Technical Guide [R-1] for further details.

4.1.3 AVP Data Types

N2DSG supports most basic and derived data types specified in RFC 6733 sections 4.2 and 4.3. Specifically, the following AVP data types are supported:

- OctetString
- Integer32 / Integer64
- Unsigned32 / Unsigned64
- DiameterIdentity
- Grouped
- Address
- Time
- UTF8String
- Enumerated

The following AVP data types are not supported:

- DiameterURI
- Float32 / Float64
- IPFilterRule

4.2 Connection Management

N2DSG may be configured to accept inbound connections from, or to invoke outbound connections to, charging servers following the capability exchange transaction specified in RFC 6733 section 5.3. Connection management command codes supported by N2DSG are:

- Capability-Exchange-Request (CER) and Capability-Exchange-Answer (CEA)
- Disconnect-Peer-Request (DPR) and Disconnect-Peer-Answer (DPA)
- Device-Watchdog-Request (DWR) and Device-Watchdog-Answer (DWA)

The message parameters for these command codes are shown in the following sections.

N2DSG must be configured with a whitelist of charging server information for servers that initiate connections to N2DSG.

Connections may be made to and from N2DSG over either TCP or SCTP.

Refer to the N2DSG Technical Guide for details of the configuration allowed for connection management.

4.2.1 Capability Exchange Messages

Depending on whether N2DSG is configured to listen or initiate connections, both CER and CEA messages may be sent and/or received.

| Field | AVP Code | Data Type | Presence | | Inbound Notes | Notes |
|--------------------------------|----------|------------------|----------|-----|-----------------------|---|
| | | | CER | CEA | | |
| Result-Code | 268 | Unsigned32 | 0 | 1 | - | Set as per RFC 6733. |
| Origin-Host | 264 | DiameterIdentity | 1 | 1 | Must match whitelist. | Set from configuration. |
| Origin-Realm | 296 | DiameterIdentity | 1 | 1 | - | Set from configuration. |
| Host-IP-Address | 257 | Address | 1+ | 1+ | Must match whitelist. | Set from configuration. |
| Vendor-Id | 266 | Unsigned32 | 1 | 1 | - | Set from configuration. |
| Product-Name | 269 | UTF8String | 1 | 1 | - | Set from configuration. |
| Origin-State-Id | 278 | Unsigned32 | 0-1 | 0-1 | - | Not used for session maintenance. |
| Error-Message | 281 | UTF8String | 0 | 0-1 | Ignored by default. | Only sent in error cases. Set as per RFC 6733. |
| Failed-AVP | 279 | Grouped | 0 | 0-1 | Ignored by default. | Only sent in error cases. Set as per RFC 6733. |
| Supported-Vendor-Id | 265 | Unsigned32 | 0+ | 0+ | - | Set from configuration. |
| Auth-Application-Id | 258 | Unsigned32 | 0+ | 0+ | Must be set to 4. | Set to 4. |
| Inband-Security-Id | 299 | Unsigned32 | 0+ | 0+ | Ignored by default. | Not sent by default. |
| Acct-Application-Id | 259 | Unsigned32 | 0+ | 0+ | Ignored by default. | Not sent by default. |
| Vendor-Specific-Application-Id | 260 | Grouped | 0+ | 0+ | Ignored by default. | Not sent by default. |
| Firmware-Revision | 267 | Unsigned32 | 0-1 | 0-1 | Ignored by default. | Not sent by default. |
| (other AVPs) | * | * | * | * | Ignored by default. | Not sent by default. |

Table 3: Capability exchange message parameters

4.2.2 Disconnect Peer Messages

When the N2DSG platform is taken out of service, a DPR message is sent to all connected charging servers. These servers may attempt to reconnect as required, if configured to initiate connections.

In cases where a DPR is received from a charging server and N2DSG is configured to initiate connections, the Disconnect-Cause AVP is not considered and reconnections will be made on the configured schedule.

| Field | AVP Code | Data Type | Presence | | Inbound Notes | Notes |
|------------------|----------|------------------|----------|-----|---|---|
| | | | DPR | DPA | | |
| Result-Code | 268 | Unsigned32 | 0 | 1 | - | Set as per RFC 6733. |
| Origin-Host | 264 | DiameterIdentity | 1 | 1 | Must match CER/CEA. | As per CER/CEA. |
| Origin-Realm | 296 | DiameterIdentity | 1 | 1 | Must match CER/CEA. | As per CER/CEA. |
| Disconnect-Cause | 273 | Enumerated | 1 | 0 | Ignored by default. Reconnection will occur on the configured SCP schedule unless configured otherwise. | Set to 0 (REBOOTING). |
| Error-Message | 281 | UTF8String | 0 | 0-1 | Ignored by default. | Only sent in error cases. Set as per RFC 6733. |
| Failed-AVP | 279 | Grouped | 0 | 0-1 | Ignored by default. | Only sent in error cases. Set as per RFC 6733. |
| (other AVPs) | * | * | * | * | Ignored by default. | Not sent by default. |

Table 4: Disconnect peer message parameters

4.2.3 Device Watchdog Messages

The SCP will send DWRs to currently-connected charging servers after no traffic is sent or received from them for a configurable period.

Under normal circumstances, N2DSG will always respond to a DWR from a connected charging server positively to indicate that the system is functioning satisfactorily.

| Field | AVP Code | Data Type | Presence | | Inbound Notes | Notes |
|--------------|----------|------------------|----------|-----|---------------------|----------------------|
| | | | DWR | DWA | | |
| Result-Code | 268 | Unsigned32 | 0 | 1 | - | Set as per RFC 6733. |
| Origin-Host | 264 | DiameterIdentity | 1 | 1 | Must match CER/CEA. | As per CER/CEA. |
| Origin-Realm | 296 | DiameterIdentity | 1 | 1 | Must match CER/CEA. | As per CER/CEA. |

| Field | AVP Code | Data Type | Presence | | Inbound Notes | Notes |
|-----------------|----------|------------|----------|-----|---------------------|---|
| | | | DWR | DWA | | |
| Error-Message | 281 | UTF8String | 0 | 0-1 | Ignored by default. | Only sent in error cases. Set as per RFC 6733. |
| Failed-AVP | 279 | Grouped | 0 | 0-1 | Ignored by default. | Only sent in error cases. Set as per RFC 6733. |
| Origin-State-Id | 278 | Unsigned32 | 1 | 1 | - | Not used for session maintenance. |
| (other AVPs) | * | * | * | * | Ignored by default. | Not sent by default. |

Table 5: Device watchdog message parameters

4.3 Duplicate Messages

4.3.1 Received Messages

N2DSG supports message retransmission by servers by using the retransmit command flag. For more information on this flag, refer to RFC 6733 section 3. Additionally, N2DSG supports transport layer retransmission for Diameter messaging.

No duplicate detection is performed by N2DSG.

4.3.2 Sent Messages

The retransmit flag may be set on request messages sent from N2DSG. The number of retransmissions for request messages is configurable.

N2DSG does not set the retransmit command flag on answer messages, as per RFC 6733. However, the amount of transport layer retransmissions is configurable.

Note that N2DSG does not persist Diameter sessions in non-volatile storage, so no duplication after reboot can occur for answer messages.

4.4 Credit Control Messaging

Credit control messaging is the primary function of the N2DSG platform. Command codes supported by N2DSG for credit control are:

- Credit-Control-Request (CCR) and Credit-Control-Answer (CCA)
- Abort-Session-Request (ASR) and Abort-Session-Answer (ASA)

The message parameters for these command codes are shown in the following sections.

Refer to N2DSG Technical Guide for details of the configuration allowed for credit control.

Reauthorization is not supported by N2DSG.

4.4.1 Credit Control Messages

N2DSG sends CCR messages to charging servers and receives CCA messages in response

4.4.1.1 Credit-Control-Request Messages

N2DSG sends CCR messages as shown below. Note that this is expected to be only the base of any charging control messaging for all but the simplest applications, and additional AVPs (either from the 3GPP standard or vendor-specific requirements) may be required to support rich charging definitions. In particular, the contents of the Service-Information AVP is expected to be greatly expanded to supply the OCS with appropriate network-level information for charging. Refer to section *Table 12: N2DSG compliance to TS 32.299* for details of the child AVPs available for such information.

| Field | Vendor ID | AVP Code | Data Type | Presence | | | | Notes |
|-----------------------|-----------|----------|------------------|----------|-----|-----|-----|---|
| | | | | I | U | T | E | |
| Session-Id | 0 | 263 | UTF8String | 1 | 1 | 1 | 1 | Set as per <i>Table 10: N2DSG compliance to RFC 6733</i> . |
| Origin-Host | 0 | 264 | DiameterIdentity | 1 | 1 | 1 | 1 | Set as per N2DSG CER/CEA. |
| Origin-Realm | 0 | 296 | DiameterIdentity | 1 | 1 | 1 | 1 | Set as per N2DSG CER/CEA. |
| Destination-Realm | 0 | 283 | DiameterIdentity | 1 | 1 | 1 | 1 | Set as per OCS CER/CEA. |
| Auth-Application-Id | 0 | 258 | Unsigned32 | 1 | 1 | 1 | 1 | Set to 4. |
| Service-Context-Id | 0 | 461 | UTF8String | 1 | 1 | 1 | 1 | Set globally or based on network information according to DSG configuration. |
| CC-Request-Type | 0 | 461 | Enumerated | 1 | 1 | 1 | 1 | Set as per <i>Table 11: N2DSG compliance to RFC 8506</i> . |
| CC-Request-Number | 0 | 415 | Unsigned32 | 1 | 1 | 1 | 1 | Set to 0 for first session request and incremented by 1 for each subsequent request. |
| Destination-Host | 0 | 293 | DiameterIdentity | 0-1 | 0-1 | 0-1 | 0-1 | Sent according to global DSG configuration. Set from OCS CER/CEA. |
| User-Name | 0 | 1 | UTF8String | 0-1 | 0-1 | 0-1 | 0-1 | Sent according to global DSG configuration. Set according to global DSG configuration. |
| CC-Sub-Session-Id | 0 | 419 | Unsigned64 | 0 | 0 | 0 | 0 | Not sent. |
| Acct-Multi-Session-Id | 0 | 50 | UTF8String | 0 | 0 | 0 | 0 | Not sent. |
| Origin-State-Id | 0 | 278 | Unsigned32 | 0-1 | 0-1 | 0-1 | 0-1 | Set as per <i>Table 10: N2DSG compliance to RFC 6733</i> . |
| Event-Timestamp | 0 | 55 | Time | 1 | 1 | 1 | 1 | Set as the time corresponding to the network event. |
| Subscription-Id | 0 | 443 | Grouped | 1+ | 1+ | 1+ | 1+ | Set from network information according to DSG configuration. |
| Subscription-Id-Type | 0 | 450 | Enumerated | 1 | 1 | 1 | 1 | Set based on network information. |
| Subscription-Id-Data | 0 | 444 | UTF8String | 1 | 1 | 1 | 1 | Set based on network information. |

| Field | Vendor ID | AVP Code | Data Type | Presence | | | | Notes |
|----------------------------------|-----------|----------|------------|-----------|-----------|-----------|-----------|--|
| | | | | I | U | T | E | |
| Service-Identifier | 0 | 439 | Unsigned32 | 1 or 0 | 1 or 0 | 1 or 0 | 1 or 0 | Set based on network information according to DSG configuration. Sent at root level only if SCP is configured not to use MSCC. |
| Rating-Group | 0 | 432 | Unsigned32 | 1 or 0 | 1 or 0 | 1 or 0 | 1 or 0 | Set based on network information according to DSG configuration. Sent at root level only if SCP is configured not to use MSCC. |
| Termination-Cause | 0 | 295 | Enumerated | 0 | 0 | 0-1 | 0 | Sent according to global DSG configuration. Set based on network information according to DSG configuration. |
| Requested-Service-Unit | 0 | 437 | Grouped | 1 or 0 | 1 or 0 | 0 | 1 or 0 | Set based on network information according to DSG configuration. Sent at root level only if SCP is configured not to use MSCC. Refer to <i>Multiple-Services-Credit-Control</i> → <i>Requested-Service-Unit</i> for child details. |
| Requested-Action | 0 | 436 | Enumerated | 0 | 0 | 0 | 1 | Set as per <i>Table 11: N2DSG compliance to RFC 8506</i> . |
| AoC-Request-Type | 10415 | 2055 | Enumerated | 0-1 | 0-1 | 0-1 | 0-1 | Set as per <i>Table 12: N2DSG compliance to TS 32.299</i> . |
| Used-Service-Unit | 0 | 446 | Grouped | 0 | 1 or 0 | 1 or 0 | 0 | Set based on network information according to DSG configuration. Sent at root level only if SCP is configured not to use MSCC. Refer to <i>Multiple-Services-Credit-Control</i> → <i>Used-Service-Unit</i> for child details. |
| Multiple-Services-Indicator | 0 | 455 | Enumerated | 1 | 1 | 1 | 1 | Set according to global DSG configuration. |
| Multiple-Services-Credit-Control | 0 | 456 | Grouped | 0+ | 0+ | 0+ | 0+ | Sent according to global DSG configuration. |
| Requested-Service-Unit | 0 | 437 | Grouped | 1 | 1 | 0 | 1 | Set based on network information according to DSG configuration. Sent at MSCC level only if SCP is configured to use MSCC. Only a single unit type will be present. |
| CC-Time | 0 | 420 | Unsigned32 | 0-1 | 0-1 | 0 | 0-1 | Set based on network information according to DSG configuration. |
| CC-Money | 0 | 413 | Grouped | - | - | - | - | Not sent. |
| CC-Total-Octets | 0 | 421 | Unsigned64 | - | - | - | - | Not sent. |
| CC-Input-Octets | 0 | 412 | Unsigned64 | - | - | - | - | Not sent. |
| CC-Output-Octets | 0 | 414 | Unsigned64 | - | - | - | - | Not sent. |

| Field | Vendor ID | AVP Code | Data Type | Presence | | | | Notes |
|----------------------------|-----------|----------|-------------|----------|-----|-----|-----|---|
| | | | | I | U | T | E | |
| CC-Service-Specific-Units | 0 | 417 | Unsigned64 | 0-1 | 0-1 | 0 | 0-1 | Set based on network information according to DSG configuration. |
| Used-Service-Unit | 0 | 446 | Grouped | 0 | 1 | 1 | 0 | Set based on network information according to DSG configuration. Sent at MSCC level only if SCP is configured to use MSCC. Only a single unit type will be present. |
| Reporting-Reason | 10415 | 872 | Enumerated | 1 | 1 | 1 | 0 | Set as per <i>Table 12: N2DSG compliance to TS 32.299.</i> |
| Tariff-Change-Usage | 0 | 452 | Enumerated | - | - | - | - | Not sent. |
| CC-Time | 0 | 420 | Unsigned32 | 0 | 0-1 | 0-1 | 0 | Set based on network information according to DSG configuration. |
| CC-Money | 0 | 413 | Grouped | - | - | - | - | Not sent. |
| CC-Total-Octets | 0 | 421 | Unsigned64 | - | - | - | - | Not sent. |
| CC-Input-Octets | 0 | 412 | Unsigned64 | - | - | - | - | Not sent. |
| CC-Output-Octets | 0 | 414 | Unsigned64 | - | - | - | - | Not sent. |
| CC-Service-Specific-Units | 0 | 417 | Unsigned64 | 0 | 0-1 | 0-1 | 0 | Set based on network information according to DSG configuration. |
| Event-Charging-Timestamp | 10415 | 1258 | Time | 0-1 | 0-1 | 0-1 | 0-1 | Set based on network information according to DSG configuration. |
| Service-Identifier | 0 | 439 | Unsigned32 | 0+ | 0+ | 0+ | 0+ | Set based on network information according to DSG configuration. Sent at MSCC level only if SCP is configured to use MSCC. |
| Rating-Group | 0 | 432 | Unsigned32 | 0-1 | 0-1 | 0-1 | 0-1 | Set based on network information according to DSG configuration. Sent at MSCC level only if SCP is configured to use MSCC. |
| Trigger | 10415 | 1264 | Grouped | - | - | - | - | Not sent. |
| Refund-Information | 10415 | 2022 | OctetString | 0 | 0 | 0 | 0-1 | Set as per <i>Table 12: N2DSG compliance to TS 32.299.</i> |
| Reporting-Reason | 10415 | 872 | Enumerated | 0 | 1 | 1 | 0 | Set as per <i>Table 12: N2DSG compliance to TS 32.299.</i> |
| AF-Correlation-Information | 10415 | 1276 | Grouped | - | - | - | - | Not sent. |
| Envelope | 10415 | 1266 | Grouped | - | - | - | - | Not sent. |
| Time-Quota-Mechanism | 10415 | 1270 | Grouped | - | - | - | - | Not sent. |
| Service-Specific-Info | 10415 | 1249 | Grouped | 0+ | 0+ | 0+ | 0+ | Set as per <i>Table 12: N2DSG compliance to TS 32.299.</i> |
| Service-Specific-Data | 10415 | 863 | UTF8String | 0-1 | 0-1 | 0-1 | 0-1 | Set as per <i>Table 12: N2DSG compliance to TS 32.299.</i> |

| Field | Vendor ID | AVP Code | Data Type | Presence | | | | Notes |
|---------------------------|-----------|----------|------------------|----------|-----|-----|-----|--|
| | | | | I | U | T | E | |
| Service-Specific-Type | 10415 | 1257 | Unsigned32 | 0-1 | 0-1 | 0-1 | 0-1 | Set as per <i>Table 12: N2DSG compliance to TS 32.299</i> . |
| QoS-Information | 10415 | 1016 | Grouped | - | - | - | - | Not sent. |
| 3GPP-RAT-Type | 10415 | 21 | OctetString | 0-1 | 0-1 | 0-1 | 0-1 | Set as per <i>Table 12: N2DSG compliance to TS 32.299</i> . |
| Related-Trigger | 10415 | 3926 | Grouped | - | - | - | - | Not sent. |
| Service-Parameter-Info | 0 | 440 | Grouped | 0+ | 0+ | 0+ | 0+ | May be used as required for additional rating enrichment; refer to N2DSG Technical Guide. |
| CC-Correlation-Id | 0 | 411 | OctetString | - | - | - | - | Not sent. |
| User-Equipment-Info | 10415 | 458 | Grouped | 0-1 | 0-1 | 0-1 | 0-1 | Set as per <i>Table 12: N2DSG compliance to TS 32.299</i> . |
| User-Equipment-Info-Type | 10415 | 459 | Enumerated | 1 | 1 | 1 | 1 | Set as per <i>Table 12: N2DSG compliance to TS 32.299</i> . |
| User-Equipment-Info-Value | 10415 | 460 | OctetString | 1 | 1 | 1 | 1 | Set as per <i>Table 12: N2DSG compliance to TS 32.299</i> . |
| Proxy-Info | 0 | 284 | Grouped | - | - | - | - | Not sent. |
| Route-Record | 0 | 282 | DiameterIdentity | - | - | - | - | Not sent. |
| Service-Information | 10415 | 873 | Grouped | 0-1 | 0-1 | 0-1 | 0-1 | Set as per <i>Table 12: N2DSG compliance to TS 32.299</i> .according to DSG configuration. |
| (other AVPs) | * | * | * | * | * | * | * | Not sent by default. N2DSG may be configured to send IETF, 3GPP, or custom AVPs for additional rating enrichment; refer to N2DSG Technical Guide. |

Table 6: Credit-Control-Request message parameters (sent from N2DSG)

4.4.1.2 Credit-Control-Answer Messages

The expected parameters for a CCA message sent to N2DSG from the OCS are shown below.

| Field | Vendor ID | AVP Code | Data Type | Presence | | | | Notes |
|----------------------------------|-----------|----------|------------------|-----------|-----------|-----|-----------|---|
| | | | | I | U | T | E | |
| Session-Id | 0 | 263 | UTF8String | 1 | 1 | 1 | 1 | Must match sent CCR value. |
| Result-Code | 0 | 268 | Unsigned32 | 1 | 1 | 1 | 1 | Interpreted by N2DSG service configuration. Indicates status of credit control. |
| Experimental-Result | 0 | 297 | Grouped | - | - | - | - | Not used. |
| Origin-Host | 0 | 264 | DiameterIdentity | 1 | 1 | 1 | 1 | Must match sent CER/CEA value. |
| Origin-Realm | 0 | 296 | DiameterIdentity | 1 | 1 | 1 | 1 | Must match sent CER/CEA value. |
| Auth-Application-Id | 0 | 258 | Unsigned32 | 1 | 1 | 1 | 1 | Must be set to 4. |
| CC-Request-Type | 0 | 461 | Enumerated | 1 | 1 | 1 | 1 | Must match sent CCR value. |
| CC-Request-Number | 0 | 415 | Unsigned32 | 1 | 1 | 1 | 1 | Must match sent CCR value. |
| User-Name | 0 | 1 | UTF8String | 0-1 | 0-1 | 0-1 | 0-1 | Ignored if present. |
| CC-Session-Failover | 0 | 418 | Enumerated | 0-1 | 0-1 | 0-1 | 0-1 | Treated as per <i>Table 11: N2DSG compliance to RFC 8506</i> . |
| CC-Sub-Session-Id | 0 | 419 | Unsigned64 | - | - | - | - | Not used. |
| Acct-Multi-Session-Id | 0 | 50 | UTF8String | - | - | - | - | Not used. |
| Origin-State-Id | 0 | 278 | Unsigned32 | - | - | - | - | Not used. |
| Event-Timestamp | 0 | 55 | Time | - | - | - | - | Not used. |
| Granted-Service-Unit | 0 | 431 | Grouped | 1 or 0 | 1 or 0 | 0 | 1 or 0 | Must be at the same level as Requested-Service-Unit sent by N2DSG. Refer to <i>Multiple-Services-Credit-Control</i> → <i>Granted-Service-Unit</i> for child details. |
| Service-Identifier | 0 | 439 | Unsigned32 | - | - | - | - | Not used. |
| Rating-Group | 0 | 432 | Unsigned32 | - | - | - | - | Not used. |
| Multiple-Services-Credit-Control | 0 | 456 | Grouped | 0+ | 0+ | 0+ | 0+ | Must match sent CCR value. |
| Tariff-Time-Change | 10415 | 451 | Time | - | - | - | - | Not used. |
| Granted-Service-Unit | 0 | 431 | Grouped | 0-1 | 0-1 | 0 | 0-1 | Must be at the same level as Requested-Service-Unit sent by N2DSG. Only a single unit type may be present. |
| CC-Time | 0 | 420 | Unsigned32 | 0-1 | 0-1 | 0 | 0-1 | Treated as per <i>Table 11: N2DSG compliance to RFC 8506</i> . |

| Field | Vendor ID | AVP Code | Data Type | Presence | | | | Notes |
|---------------------------------|-----------|----------|--------------|----------|-----|---|-----|--|
| | | | | I | U | T | E | |
| CC-Money | 0 | 413 | Grouped | - | - | - | - | Not used. |
| CC-Total-Octets | 0 | 421 | Unsigned64 | - | - | - | - | Not used. |
| CC-Input-Octets | 0 | 412 | Unsigned64 | - | - | - | - | Not used. |
| CC-Output-Octets | 0 | 414 | Unsigned64 | - | - | - | - | Not used. |
| CC-Service-Specific-Units | 0 | 417 | Unsigned64 | 0-1 | 0-1 | 0 | 0-1 | Treated as per <i>Table 11: N2DSG compliance to RFC 8506</i> . |
| Service-Identifier | 0 | 439 | Unsigned32 | - | - | - | - | Not used. |
| Rating-Group | 0 | 432 | Unsigned32 | - | - | - | - | Not used. |
| G-S-U-Pool-Reference | 10415 | 457 | Grouped | - | - | - | - | Not used. |
| Validity-Time | 0 | 448 | Unsigned32 | 1 | 1 | 0 | 0 | Treated as per <i>Table 11: N2DSG compliance to RFC 8506</i> . CCRs will be sent when this period is exhausted at the latest. |
| Result-Code | 0 | 268 | Unsigned32 | 1 | 1 | 1 | 1 | Interpreted by N2DSG service configuration. Indicates status of credit control. |
| Final-Unit-Indication | 0 | 430 | Grouped | 0-1 | 0-1 | 0 | 0 | Must be at the same level as Requested-Service-Unit sent by N2DSG. Treated as per <i>Table 11: N2DSG compliance to RFC 8506</i> . |
| Final-Unit-Action | 0 | 449 | Enumerated | 1 | 1 | - | - | Treated as per <i>Table 11: N2DSG compliance to RFC 8506</i> . |
| Restriction-Filter-Rule | 10415 | 438 | IPFilterRule | - | - | - | - | Not used. |
| Filter-Id | 0 | 11 | UTF8String | - | - | - | - | Not used. |
| Redirect-Server | 0 | 434 | Grouped | 0-1 | 0-1 | - | - | Treated as per <i>Table 11: N2DSG compliance to RFC 8506</i> . |
| Redirect-Address-Type | 0 | 433 | Enumerated | 1 | 1 | - | - | Treated as per <i>Table 11: N2DSG compliance to RFC 8506</i> . |
| Redirect-Server-Address | 0 | 435 | UTF8String | 1 | 1 | - | - | Treated as per <i>Table 11: N2DSG compliance to RFC 8506</i> . |
| Time-Quota-Threshold | 10415 | 868 | Unsigned32 | - | - | - | - | Not used. |
| Volume-Quota-Threshold | 10415 | 869 | Unsigned32 | - | - | - | - | Not used. |
| Unit-Quota-Threshold | 10415 | 1226 | Unsigned32 | - | - | - | - | Not used. |
| Quota-Holding-Time | 10415 | 871 | Unsigned32 | - | - | - | - | Not used. |
| Quota-Consumption-Time | 10415 | 881 | Unsigned32 | - | - | - | - | Not used. |
| Trigger | 10415 | 1264 | Grouped | - | - | - | - | Not used. |
| PS-Furnish-Charging-Information | 10415 | 865 | Grouped | - | - | - | - | Not used. |
| 3GPP-Charging-Id | 10415 | 2 | OctetString | 1 | 1 | 1 | 1 | Treated as per <i>Table 12: N2DSG compliance to TS 32.299</i> . |
| PS-Free-Format-Data | 10415 | 866 | OctetString | 1 | 1 | 1 | 1 | Treated as per <i>Table 12: N2DSG compliance to TS 32.299</i> . |

| Field | Vendor ID | AVP Code | Data Type | Presence | | | | Notes |
|----------------------------|-----------|----------|-------------|----------|-----|-----|-----|---|
| | | | | I | U | T | E | |
| PS-Append-Free-Format-Data | 10415 | 867 | Enumerated | 0-1 | 0-1 | 0-1 | 0-1 | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Refund-Information | 10415 | 2022 | OctetString | 0 | 0 | 0 | 0-1 | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Envelope-Reporting | 10415 | 1268 | Grouped | - | - | - | - | Not used. |
| Time-Quota-Mechanism | 10415 | 1270 | Grouped | - | - | - | - | Not used. |
| Announcement-Information | 10415 | 3904 | Grouped | 0+ | 0+ | 0+ | 0+ | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Announcement-Identifier | 10415 | 3905 | Unsigned32 | 1 | 1 | 1 | 1 | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Variable-Part | 10415 | 3907 | Grouped | 0+ | 0+ | 0+ | 0+ | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Variable-Part-Order | 10415 | 3908 | Unsigned32 | 1 | 1 | 1 | 1 | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Variable-Part-Type | 10415 | 3909 | Unsigned32 | 1 | 1 | 1 | 1 | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Variable-Part-Value | 10415 | 3910 | UTF8String | 1 | 1 | 1 | 1 | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Time-Indicator | 10415 | 3911 | Unsigned32 | 0-1 | 0-1 | 0-1 | 0-1 | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Quota-Indicator | 10415 | 3912 | Enumerated | 0-1 | 0-1 | 0-1 | 0-1 | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Announcement-Order | 10415 | 3906 | Unsigned32 | 0-1 | 0-1 | 0-1 | 0-1 | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Play-Alternative | 10415 | 3913 | Enumerated | 0-1 | 0-1 | 0-1 | 0-1 | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Privacy-Indicator | 10415 | 3915 | Enumerated | 0-1 | 0-1 | 0-1 | 0-1 | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Language | 10415 | 3914 | UTF8String | 0-1 | 0-1 | 0-1 | 0-1 | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Cost-Information | 0 | 423 | Grouped | 0 | 0-1 | 0-1 | 0-1 | Treated as per Table 11: N2DSG compliance to RFC 8506. |
| Unit-Value | 0 | 445 | Grouped | 0 | 1 | 1 | 1 | Treated as per Table 11: N2DSG compliance to RFC 8506. |
| Value-Digits | 0 | 447 | Integer64 | 0 | 1 | 1 | 1 | Treated as per Table 11: N2DSG compliance to RFC 8506. |
| Exponent | 0 | 429 | Integer32 | 0 | 1 | 1 | 1 | Treated as per Table 11: N2DSG compliance to RFC 8506. |
| Currency-Code | 0 | 425 | Unsigned32 | 0 | 0-1 | 0-1 | 0-1 | Treated as per Table 11: N2DSG compliance to RFC 8506. |
| Cost-Unit | 0 | 424 | UTF8String | 0 | 0-1 | 0-1 | 0-1 | Treated as per Table 11: N2DSG compliance to RFC 8506. |
| Low-Balance-Indication | 10415 | 2020 | Enumerated | 0-1 | 0-1 | 0-1 | 0-1 | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Remaining-Balance | 10415 | 2020 | Grouped | 0-1 | 0-1 | 0-1 | 0-1 | Treated as per Table 12: N2DSG compliance to TS 32.299. |
| Unit-Value | 0 | 445 | Grouped | 1 | 1 | 1 | 1 | Treated as per Table 11: N2DSG compliance to RFC 8506. |
| Value-Digits | 0 | 447 | Integer64 | 1 | 1 | 1 | 1 | Treated as per Table 11: N2DSG compliance to RFC 8506. |
| Exponent | 0 | 429 | Integer32 | 1 | 1 | 1 | 1 | Treated as per Table 11: N2DSG compliance to RFC 8506. |
| Currency-Code | 0 | 425 | Unsigned32 | 0-1 | 0-1 | 0-1 | 0-1 | Treated as per Table 11: N2DSG compliance to RFC 8506. |

| Field | Vendor ID | AVP Code | Data Type | Presence | | | | Notes |
|----------------------------------|-----------|----------|------------------|-------------|-------------|---|-----|--|
| | | | | I | U | T | E | |
| Final-Unit-Indication | 0 | 430 | Grouped | 0-1 or 0 | 0-1 or 0 | 0 | 0 | Must be at the same level as Requested-Service-Unit sent by N2DSG. Treated as per <i>Table 11: N2DSG compliance to RFC 8506</i> . Refer to <i>Multiple-Services-Credit-Control</i> → <i>Final-Unit-Indication</i> for child details. |
| Check-Balance-Result | 0 | 422 | Enumerated | 0 | 0 | 0 | 0-1 | Treated as per <i>Table 11: N2DSG compliance to RFC 8506</i> . |
| Credit-Control-Failure-Handling | 0 | 427 | Enumerated | 1 | 1 | 0 | 0 | Treated as per <i>Table 11: N2DSG compliance to RFC 8506</i> . |
| Direct-Debiting-Failure-Handling | 0 | 427 | Enumerated | 0 | 0 | 0 | 1 | Treated as per <i>Table 11: N2DSG compliance to RFC 8506</i> . |
| OC-Supported-Features | 0 | 621 | Grouped | - | - | - | - | Not used. |
| OC-OLR | 0 | 623 | Grouped | - | - | - | - | Not used. |
| Redirect-Host | 0 | 292 | DiameterURI | - | - | - | - | Not used. |
| Redirect-Host-Usage | 0 | 261 | Enumerated | - | - | - | - | Not used. |
| Redirect-Max-Cache-Time | 0 | 262 | Unsigned32 | - | - | - | - | Not used. |
| Proxy-Info | 0 | 284 | Grouped | - | - | - | - | Not used. |
| Route-Record | 0 | 282 | DiameterIdentity | - | - | - | - | Not used. |
| Failed-AVP | 0 | 279 | Grouped | - | - | - | - | Not used. |
| Service-Information | 10415 | 873 | Grouped | - | - | - | - | Not used. |
| (other AVPs) | * | * | * | * | * | * | * | Not used unless configured for charging control enrichment; refer to N2DSG Technical Guide. |

Table 7: Credit-Control-Answer message parameters (sent to N2DSG)

4.4.2 Abort Session Messages

4.4.2.1 Abort-Session-Request Messages

The OCS may choose to stop an in-progress session on N2DSG.

| Field | Vendor ID | AVP Code | Data Type | Presence | Notes |
|------------------|-----------|----------|------------------|----------|--------------------------------|
| Session-Id | 0 | 263 | UTF8String | 1 | Must match sent CCR value. |
| Origin-Host | 0 | 264 | DiameterIdentity | 1 | Must match sent CER/CEA value. |
| Origin-Realm | 0 | 296 | DiameterIdentity | 1 | Must match sent CER/CEA value. |
| Destination-Host | 0 | 293 | DiameterIdentity | - | Not used. |

| Field | Vendor ID | AVP Code | Data Type | Presence | Notes |
|---------------------|-----------|----------|------------------|----------|---|
| Destination-Realm | 0 | 283 | DiameterIdentity | 1 | Must match sent CER/CEA value. |
| Auth-Application-Id | 0 | 258 | Unsigned32 | 1 | Must be set to 4. |
| (other AVPs) | * | * | * | * | Not used by default. N2DSG may be configured to receive IETF, 3GPP, or custom AVPs for additional rating enrichment; refer to N2DSG Technical Guide. |

Table 8: Abort-Session-Request message parameters (sent to N2DSG)

4.4.2.2 Abort-Session-Answer Messages

N2DSG indicates to the OCS whether the session has been aborted successfully. No further CCRs for this request will be sent if successful.

| Field | V ID | AVP Code | Data Type | Presence | Notes |
|-------------------------|------|----------|------------------|----------|--|
| Session-Id | 0 | 263 | UTF8String | 1 | Set from ASR. |
| Result-Code | 0 | 268 | Unsigned32 | 1 | Set to DIAMETER_SUCCESS if the session was aborted successfully. Set to DIAMETER_UNKNOWN_SESSION_ID if the session was not active when the ASR was received. Otherwise set to DIAMETER_UNABLE_TO_COMPLY. |
| Origin-Host | 0 | 264 | DiameterIdentity | 1 | Set as per sent CER/CEA value. |
| Origin-Realm | 0 | 296 | DiameterIdentity | 1 | Set as per sent CER/CEA value. |
| User-Name | 0 | 1 | UTF8String | 0-1 | Sent according to global DSG configuration. Set according to global DSG configuration. |
| Error-Message | 0 | 281 | UTF8String | 0-1 | Sent only if Result-Code is not DIAMETER_SUCCESS. |
| Error-Reporting-Host | 0 | 294 | DiameterIdentity | - | Not sent. |
| Failed-AVP | 0 | 279 | Grouped | 0-1 | Sent only if received ASR cannot be parsed. Set as per Table 10: N2DSG compliance to RFC 6733. |
| Redirect-Host | 0 | 292 | DiameterURI | - | Not sent. |
| Redirect-Host-Usage | 0 | 261 | Enumerated | - | Not sent. |
| Redirect-Max-Cache-Time | 0 | 262 | Unsigned32 | - | Not sent. |
| Proxy-Info | 0 | 284 | Grouped | - | Not sent. |

| Field | V ID | AVP Code | Data Type | Presence | Notes |
|--------------|------|----------|-----------|----------|--|
| (other AVPs) | * | * | * | * | Not sent by default. N2DSG may be configured to send IETF, 3GPP, or custom AVPs for additional rating enrichment; refer to N2DSG Technical Guide. |

Table 9: Abort-Session-Answer message parameters (sent from N2DSG)

4.4.3 Reauthorization Messages

Reauthorization is not supported by N2DSG.

5 Diameter Charging Scenarios

Note that all scenarios in this section show charging interaction using the 3GPP model of decentralized unit determination with centralized rating, i.e. charging clients requesting specific units with rating granting those units.

N2DSG supports also supports the alternate 3GPP charging model for centralized unit determination and centralized rating, i.e. RSU sent with no unit type and units determined by the OCS. In the interests of brevity, this model is not shown in this section, but its alternate flows are referenced in-line underneath the associated diagram.

N2DSG does not support decentralized unit determination and decentralized rating, i.e. RSU sent with CC-Money unit type and CC-Money granted by the OCS, as this does not map to IN/NGIN messaging.

5.1 Call Session

5.1.1 Call Session, Success, OCS Termination

A user makes a call. The OCS grants the requested reservation but informs N2DSG that no more reservations are available. Once the user consumes the granted units, the user session is stopped and the OCS commits the reservation.




Figure A: Call session, success, OCS termination

This scenario is based on Appendix A: Flow VII in RFC 8506.

Note that the OCS instruction for final units can occur at any CCA, but this is not shown in the flow for simplicity.

5.1.2 Call Session, Success, User Termination

A user makes a call. The initial reservation is successful, and the user consumes some of the quota and then ends the session. The OCS commits the used quota from the reservation.




Figure B: Call session, success, user termination

This scenario is based on Appendix A: Flow I and Appendix A: Flow II in RFC 8506 and Figure 5.2.2.3.1.1 in 3GPP TS 32.299. With unit type substitution, it also reflects Figure 5.2.2.3.2.1, Figure 5.2.2.1.1, and Figure 5.2.2.2.1 in 3GPP TS 32.299.

5.1.3 Call Session, Continuation

A user exhausts the previously-given grant on a continuing call. N2DSG requests an additional reservation from the OCS. The OCS commits the used quota from the previous reservation and grants additional quota to the user. The charging session continues with the new quota.




Figure C: Call session, session continuation

This scenario is based on Appendix A: Flow I and Appendix A: Flow II in RFC 8506 and Figure 5.2.2.3.1.1 in 3GPP TS 32.299. With unit type substitution, it also reflects Figure 5.2.2.3.2.1 in 3GPP TS 32.299.

5.1.4 Call Session, Validity Expiration

A user begins a call. The initial reservation is successful, and the user continues using the granted time. The user session does not report on the used time before the validity period expires. N2DSG relinquishes the granted quota and closes the OCS session. N2SCP BFT rules will be used after OCS session closure and may create EDRs for revenue control.

This is an exception scenario and is not expected to occur under BAU.




Figure D: Call session, validity expiration

5.1.5 Call Session, Denied

A user begins a charging session. No quota is granted by the OCS for the indicated reason returned to N2DSG; other results may also be used. The charging session is not allowed to start.

Note that the OCS may decline to grant quota at interim requests. Such cases are not shown for the sake of brevity but are handled identically.




Figure E: Call session, unsuccessful

5.1.6 Call Session, Tx Timeout

A user begins a call. The OCS does not respond before the Tx timer expires, and the session is handled by BFT rules, as described in the N2SCP Technical Guide.

Note that the same scenario can also occur at interim and final interrogation. Such BFT handling (and the EDRs generated for revenue control as part of this) will be dealt with in the same fashion by N2SCP BFT rules and the flows are not shown here for brevity.

This is an exception scenario and is not expected to occur under BAU.




Figure F: Call session, Tx timeout

5.2 Event Reservation

5.2.1 Event Reservation, Success

A premium SMS is to be sent to a user, requiring delivery before charging. The OCS grants the reservation, and after successful delivery the reservation is confirmed.

Note that N2DSG is not intended to be used for long-held reservations. In such cases, the flows shown in *Figure K: Event debit, success* and *Figure L: Event debit, refund* should be used.




Figure G: Event reservation, success

5.2.2 Event Reservation, Revoke

A premium SMS is to be sent to a user, requiring delivery before charging. The OCS grants the reservation, but the SMS is unable to be delivered. The reservation on the OCS is revoked.




Figure H: Event reservation, revoke

5.2.3 Event Reservation, Denied

A premium SMS is to be sent to a user, requiring delivery before charging. No quota is granted by the OCS for the indicated reason returned to N2DSG; other results may also be used. The charging session is not allowed to start.




Figure I: Event reservation, denied

5.2.4 Event Reservation, Tx Timeout

A premium SMS is to be sent to a user, requiring delivery before charging. The OCS does not respond before the Tx timer expires, and the session is handled by BFT rules, as described in the N2SCP Technical Guide.

Note that the same scenario can also occur at interim interrogation. Such BFT handling (and the EDRs generated for revenue control as part of this) will be dealt with in the same fashion by N2SCP BFT rules and the flows are not shown here for brevity.

This is an exception scenario and is not expected to occur under BAU.




Figure J: Event reservation, Tx timeout

5.3 Event Debit

5.3.1 Event Debit, Success

A user sends an SMS. The event is debited on the OCS prior to delivery.




Figure K: Event debit, success

This scenario is based on Appendix A: Flow III in RFC 8506 and Figure 5.2.2.1.1.1 in 3GPP TS 32.299. With unit substitution, it also reflects both Figure 5.2.2.1.2.1 and Figure 5.2.2.1.3.1 in 3GPP TS 32.299.

5.3.2 Event Debit, Refund

A user sends an SMS. The event is debited on the OCS prior to delivery. Delivery fails, and the cost of the SMS is refunded on the OCS.

Note that the OCS may, instead of performing reverse rating, supply a refund ID that is expected to be returned in a refund request. This is not shown in the flows for simplicity. Note that If a refund ID is required and the delivery attempt(s) will be over a non-transactional period of time, the network elements must provide the refund ID when the refund is requested.




Figure L: Event debit, refund

This scenario is based on Appendix A: Flow VI in RFC 8506.

5.3.3 Event Debit, Denied

A user sends an SMS. The OCS does not allow the debit for the indicated reason returned to N2DSG; other results may also be used. The SMS charging attempt is disallowed..




Figure M: Event debit, denied

5.3.4 Event Debit, Tx Timeout

A user sends an SMS. The OCS does not respond before the Tx timer expires, and the debit is handled by BFT rules, as described in the N2SCP Technical Guide.

Note that the same scenario can also occur at refund interrogation. Such BFT handling (and the EDRs generated for revenue control as part of this) will be dealt with in the same fashion by N2SCP BFT rules and the flows are not shown here for brevity.

This is an exception scenario and is not expected to occur under BAU.




Figure N: Event debit, Tx timeout

5.4 Other Scenarios

5.4.1 Balance Check

N2DSG can query the OCS for a balance check as part of any processing scenario. This may include balance details for the subscriber where required, for example to present via SMS.




Figure O: Balance check

This scenario is based on Appendix A: Flow IV in RFC 8506.

6 RFC Compliance

6.1 Compliance to RFC 6733 (Diameter Base Protocol)

| Section | Section Heading | Compliance | Notes |
|---------|------------------------------------|----------------------|--|
| 1 | Introduction | Not applicable. | - |
| 1.1 | Diameter Protocol | Not applicable. | - |
| 1.1.1 | Description of the Document Set | Not applicable. | - |
| 1.1.2 | Conventions Used in This Document | Not applicable. | - |
| 1.1.3 | Changes from RFC3588 | Not applicable. | - |
| 1.2 | Terminology | Not applicable. | - |
| 1.3 | Approach to Extensibility | Not applicable. | - |
| 1.3.1 | Defining New AVP Values | Not applicable. | - |
| 1.3.2 | Creating New AVPs | Not applicable. | - |
| 1.3.3 | Creating New Commands | Not applicable. | - |
| 1.3.4 | Creating New Diameter Applications | Not applicable. | - |
| 2 | Protocol Overview | Fully compliant. | - |
| 2.1 | Transport | Fully compliant. | - |
| 2.1.1 | SCTP Guidelines | Fully compliant. | - |
| 2.2 | Securing Diameter Messages | Partially compliant. | IPSec may be applied via an external gateway. TLS/DTLS not supported. |
| 2.3 | Diameter Application Compliance | Fully compliant. | - |
| 2.4 | Application Identifiers | Fully compliant. | - |
| 2.5 | Connections vs. Sessions | Not applicable. | - |
| 2.6 | Peer Table | Not applicable. | - |
| 2.7 | Routing Table | Fully compliant. | - |
| 2.8 | Role of Diameter Agents | Not applicable. | - |

| Section | Section Heading | Compliance | Notes |
|---------|--------------------------------------|----------------------|--|
| 2.8.1 | Relay Agents | Not applicable. | - |
| 2.8.2 | Proxy Agents | Not applicable. | - |
| 2.8.3 | Redirect Agents | Not applicable. | - |
| 2.8.4 | Translation Agents | Not applicable. | - |
| 2.9 | Diameter Path Authorization | Fully compliant. | - |
| 3 | Diameter Header | Fully compliant. | - |
| 3.1 | Command Codes | Partially compliant. | RAR/RAA, ACR/ACA, and STR/STA not supported. |
| 3.2 | Command Code Format Specification | Not applicable. | - |
| 3.3 | Diameter Command Naming Conventions | Not applicable. | - |
| 4 | Diameter AVPs | Fully compliant. | - |
| 4.1 | AVP Header | Fully compliant. | - |
| 4.1.1 | Optional Header Elements | Fully compliant. | - |
| 4.2 | Basic AVP Data Formats | Partially compliant. | Float32 and Float64 not supported. |
| 4.3 | Derived AVP Data Formats | Not applicable. | - |
| 4.3.1 | Common Derived AVP Data Formats | Partially compliant. | DiameterURI and IPFilterRule not supported. |
| 4.4 | Grouped AVP Values | Fully compliant. | - |
| 4.4.1 | Example AVP with a Grouped Data Type | Not applicable. | - |
| 4.5 | Diameter Base Protocol AVPs | Partially compliant. | DiameterURI not supported. |
| 5 | Diameter Peers | Not applicable. | - |
| 5.1 | Peer Connections | Fully compliant. | - |
| 5.2 | Diameter Peer Discovery | Fully compliant. | - |
| 5.3 | Capabilities Exchange | Partially compliant. | TLS/DTLS not supported. |
| 5.3.1 | Capabilities-Exchange-Request | Fully compliant. | - |
| 5.3.2 | Capabilities-Exchange-Answer | Fully compliant. | - |
| 5.3.3 | Vendor-Id AVP | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|---------|-----------------------------------|----------------------|------------------------------|
| 5.3.4 | Firmware-Revision AVP | Fully compliant. | - |
| 5.3.5 | Host-IP-Address AVP | Fully compliant. | - |
| 5.3.6 | Supported-Vendor-Id AVP | Fully compliant. | - |
| 5.3.7 | Product-Name AVP | Fully compliant. | - |
| 5.4 | Disconnecting Peer Connections | Fully compliant. | - |
| 5.4.1 | Disconnect-Peer-Request | Fully compliant. | - |
| 5.4.2 | Disconnect-Peer-Answer | Fully compliant. | - |
| 5.4.3 | Disconnect-Cause AVP | Not applicable. | Not used. |
| 5.5 | Transport Failure Detection | Not applicable. | - |
| 5.5.1 | Device-Watchdog-Request | Fully compliant. | - |
| 5.5.2 | Device-Watchdog-Answer | Fully compliant. | - |
| 5.5.3 | Transport Failure Algorithm | Fully compliant. | - |
| 5.5.4 | Failover and Failback Procedures | Fully compliant. | - |
| 5.6 | Peer State Machine | Partially compliant. | Peer election not supported. |
| 5.6.1 | Incoming Connections | Fully compliant. | - |
| 5.6.2 | Events | Partially compliant. | Peer election not supported. |
| 5.6.3 | Actions | Partially compliant. | Peer election not supported. |
| 5.6.4 | The Election Process | Not compliant. | Peer election not supported. |
| 6 | Diameter Message Processing | Not applicable. | - |
| 6.1 | Diameter Request Routing Overview | Fully compliant. | - |
| 6.1.1 | Originating a Request | Fully compliant. | - |
| 6.1.2 | Sending a Request | Fully compliant. | - |
| 6.1.3 | Receiving Requests | Not compliant. | Loop checking not supported. |
| 6.1.4 | Processing Local Requests | Fully compliant. | - |
| 6.1.5 | Request Forwarding | Not compliant. | Forwarding not supported. |

| Section | Section Heading | Compliance | Notes |
|---------|------------------------------------|------------------|---------------------------|
| 6.1.6 | Request Routing | Not compliant. | Routing not supported. |
| 6.1.7 | Predictive Loop Avoidance | Not compliant. | Routing not supported. |
| 6.1.8 | Redirecting Requests | Not compliant. | Routing not supported. |
| 6.1.9 | Relaying and Proxying Requests | Not compliant. | Routing not supported. |
| 6.2 | Diameter Answer Processing | Fully compliant. | - |
| 6.2.1 | Processing Received Answers | Fully compliant. | - |
| 6.2.2 | Relaying and Proxying Answers | Not compliant. | Routing not supported. |
| 6.3 | Origin-Host AVP | Fully compliant. | - |
| 6.4 | Origin-Realm AVP | Fully compliant. | - |
| 6.5 | Destination-Host AVP | Fully compliant. | - |
| 6.6 | Destination-Realm AVP | Fully compliant. | - |
| 6.7 | Routing AVPs | Not applicable. | - |
| 6.7.1 | Route-Record AVP | Not compliant. | - |
| 6.7.2 | Proxy-Info AVP | Not compliant. | - |
| 6.7.3 | Proxy-Host AVP | Not compliant. | - |
| 6.7.4 | Proxy-State AVP | Not compliant. | - |
| 6.8 | Auth-Application-Id AVP | Fully compliant. | - |
| 6.9 | Acct-Application-Id AVP | Fully compliant. | - |
| 6.10 | Inband-Security-Id AVP | Not compliant. | - |
| 6.11 | Vendor-Specific-Application-Id AVP | Fully compliant. | - |
| 6.12 | Redirect-Host AVP | Not compliant. | Forwarding not supported. |
| 6.13 | Redirect-Host-Usage AVP | Not compliant. | Forwarding not supported. |
| 6.14 | Redirect-Max-Cache-Time AVP | Not compliant. | Forwarding not supported. |
| 7 | Error Handling | Fully compliant. | - |
| 7.1 | Result-Code AVP | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|---------|--|----------------------|---|
| 7.1.1 | Informational | Fully compliant. | - |
| 7.1.2 | Success | Fully compliant. | - |
| 7.1.3 | Protocol Errors | Fully compliant. | - |
| 7.1.4 | Transient Failures | Fully compliant. | - |
| 7.1.5 | Permanent Failures | Fully compliant. | - |
| 7.2 | Error Bit | Fully compliant. | - |
| 7.3 | Error-Message AVP | Fully compliant. | - |
| 7.4 | Error-Reporting-Host AVP | Fully compliant. | - |
| 7.5 | Failed-AVP AVP | Fully compliant. | - |
| 7.6 | Experimental-Result AVP | Not compliant. | - |
| 7.7 | Experimental-Result-Code AVP | Not compliant. | - |
| 8 | Diameter User Sessions | Not applicable. | Not used for credit control. |
| 8.1 | Authorization Session State Machine | Fully compliant. | - |
| 8.2 | Accounting Session State Machine | Not applicable. | Not used for credit control. |
| 8.3 | Server-Initiated Re-Auth | Not compliant. | Reauthorization not supported. |
| 8.3.1 | Re-Auth-Request | Not compliant. | Reauthorization not supported. |
| 8.3.2 | Re-Auth-Answer | Not compliant. | Reauthorization not supported. |
| 8.4 | Session Termination | Fully compliant. | - |
| 8.4.1 | Session-Termination-Request | Not applicable. | Not used for credit control. |
| 8.4.2 | Session-Termination-Answer | Not applicable. | Not used for credit control. |
| 8.5 | Aborting a Session | Fully compliant. | - |
| 8.5.1 | Abort-Session-Request | Fully compliant. | - |
| 8.5.2 | Abort-Session-Answer | Fully compliant. | - |
| 8.6 | Inferring Session Termination from Origin-State-Id | Partially compliant. | Session state is not inferred from Origin-State-Id. |
| 8.7 | Auth-Request-Type AVP | Not applicable. | Not used for credit control. |

| Section | Section Heading | Compliance | Notes |
|---------|---|------------------|--------------------------------|
| 8.8 | Session-Id AVP | Fully compliant. | - |
| 8.9 | Authorization-Lifetime AVP | Not applicable. | Not used for credit control. |
| 8.10 | Auth-Grace-Period AVP | Not applicable. | Not used for credit control. |
| 8.11 | Auth-Session-State AVP | Not applicable. | Not used for credit control. |
| 8.12 | Re-Auth-Request-Type AVP | Not compliant. | Reauthorization not supported. |
| 8.13 | Session-Timeout AVP | Not applicable. | Not used for credit control. |
| 8.14 | User-Name AVP | Fully compliant. | - |
| 8.15 | Termination-Cause AVP | Fully compliant. | - |
| 8.16 | Origin-State-Id AVP | Fully compliant. | - |
| 8.17 | Session-Binding AVP | Not applicable. | Not used for credit control. |
| 8.18 | Session-Server-Failover AVP | Not applicable. | Not used for credit control. |
| 8.19 | Multi-Round-Time-Out AVP | Not applicable. | Not used for credit control. |
| 8.20 | Class AVP | Not compliant. | - |
| 8.21 | Event-Timestamp AVP | Fully compliant. | - |
| 9 | Accounting | Not applicable. | Not used for credit control. |
| 9.1 | Server Directed Model | Not applicable. | Not used for credit control. |
| 9.2 | Protocol Messages | Not applicable. | Not used for credit control. |
| 9.3 | Accounting Application Extension and Requirements | Not applicable. | Not used for credit control. |
| 9.4 | Fault Resilience | Not applicable. | Not used for credit control. |
| 9.5 | Accounting Records | Not applicable. | Not used for credit control. |
| 9.6 | Correlation of Accounting Records | Not applicable. | Not used for credit control. |
| 9.7 | Accounting Command Codes | Not applicable. | Not used for credit control. |
| 9.7.1 | Accounting-Request | Not applicable. | Not used for credit control. |
| 9.7.2 | Accounting-Answer | Not applicable. | Not used for credit control. |
| 9.8 | Accounting AVPs | Not applicable. | Not used for credit control. |

| Section | Section Heading | Compliance | Notes |
|---------|------------------------------------|----------------------|---|
| 9.8.1 | Accounting-Record-Type AVP | Not applicable. | Not used for credit control. |
| 9.8.2 | Acct-Interim-Interval AVP | Not applicable. | Not used for credit control. |
| 9.8.3 | Accounting-Record-Number AVP | Not applicable. | Not used for credit control. |
| 9.8.4 | Acct-Session-Id AVP | Not applicable. | Not used for credit control. |
| 9.8.5 | Acct-Multi-Session-Id AVP | Not applicable. | Not used for credit control. |
| 9.8.6 | Accounting-Sub-Session-Id AVP | Not applicable. | Not used for credit control. |
| 9.8.7 | Accounting-Realtime-Required AVP | Not applicable. | Not used for credit control. |
| 10 | AVP Occurrence Tables | Fully compliant. | - |
| 10.1 | Base Protocol Command AVP Table | Partially compliant. | Refer to individual message definitions in previous sections. |
| 10.2 | Accounting AVP Table | Not applicable. | Not used for credit control. |
| 11 | IANA Considerations | Not applicable. | - |
| 11.1 | AVP Header | Fully compliant. | - |
| 11.1.1 | AVP Codes | Fully compliant. | - |
| 11.1.2 | AVP Flags | Fully compliant. | - |
| 11.2 | Diameter Header | Not applicable. | - |
| 11.2.1 | Command Codes | Not applicable. | No vendor-specific command codes. |
| 11.2.2 | Command Flags | Fully compliant. | - |
| 11.3 | AVP Values | Fully compliant. | - |
| 11.3.1 | Experimental-Result-Code AVP | Not compliant. | - |
| 11.3.2 | Result-Code AVP Values | Not applicable. | No IANA control required. |
| 11.3.3 | Accounting-Record-Type AVP Values | Not applicable. | No IANA control required. |
| 11.3.4 | Termination-Cause AVP Values | Not applicable. | No IANA control required. |
| 11.3.5 | Redirect-Host-Usage AVP Values | Not applicable. | No IANA control required. |
| 11.3.6 | Session-Server-Failover AVP Values | Not applicable. | No IANA control required. |
| 11.3.7 | Session-Binding AVP Values | Not applicable. | No IANA control required. |

| Section | Section Heading | Compliance | Notes |
|------------|--|----------------------|--|
| 11.3.8 | Disconnect-Cause AVP Values | Not applicable. | No IANA control required. |
| 11.3.9 | Auth-Request-Type AVP Values | Not applicable. | No IANA control required. |
| 11.3.10 | Auth-Session-State AVP Values | Not applicable. | No IANA control required. |
| 11.3.11 | Re-Auth-Request-Type AVP Values | Not applicable. | No IANA control required. |
| 11.3.12 | Accounting-Realtime-Required AVP Values | Not applicable. | No IANA control required. |
| 11.3.13 | Inband-Security-Id AVP (code299) | Not applicable. | No IANA control required. |
| 11.4 | _diameters Service Name and Port Number Registration | Not applicable. | No IANA control required. |
| 11.5 | SCTP Payload Protocol Identifiers | Not applicable. | No IANA control required. |
| 11.6 | S-NAPTR Parameters | Not applicable. | No IANA control required. |
| 12 | Diameter Protocol-Related Configurable Parameters | Fully compliant. | - |
| 13 | Security Considerations | Partially compliant. | IPSec may be applied via an external gateway. TLS/DTLS not supported. |
| 13.1 | TLS/TCP and DTLS/SCTP Usage | Not applicable. | TLS/DTLS not supported. |
| 13.2 | Peer-to-Peer Considerations | Not applicable. | TLS/DTLS not supported. |
| 13.3 | AVP Considerations | Partially compliant. | IPSec may be applied via an external gateway. TLS/DTLS not supported. |
| 14 | References | Not applicable. | - |
| 14.1 | Normative References | Not applicable. | - |
| 14.2 | Informative References | Not applicable. | - |
| Appendix A | Acknowledgements | Not applicable. | - |
| A.1 | This Document | Not applicable. | - |
| A.2 | RFC3588 | Not applicable. | - |
| Appendix B | S-NAPTR Example | Not applicable. | - |
| Appendix C | Duplicate Detection | Not applicable. | - |
| Appendix D | Internationalized Domain Names | Not applicable. | - |

Table 10: N2DSG compliance to RFC 6733

6.2 Compliance to RFC 8506 (Diameter Credit Control Application)

| Section | Section Heading | Compliance | Notes |
|---------|---|----------------------|---|
| 1 | Introduction | Not applicable. | - |
| 1.1 | Requirements Language | Not applicable. | - |
| 1.2 | Terminology | Not applicable. | - |
| 1.3 | Advertising Application Support | Fully compliant. | - |
| 2 | Architecture Models | Fully compliant. | - |
| 3 | Credit-Control Messages | Fully compliant. | - |
| 3.1 | Credit-Control-Request (CCR) Command | Fully compliant. | - |
| 3.2 | Credit-Control-Answer (CCA) Command | Fully compliant. | - |
| 4 | Credit-Control Application Overview | Fully compliant. | - |
| 4.1 | Service-Specific Rating Input and Interoperability | Fully compliant. | - |
| 4.1.1 | Specifying Rating Input AVPs | Fully compliant. | - |
| 4.1.2 | Service-Specific Documentation | Fully compliant. | - |
| 4.1.3 | Handling of Unsupported/Incorrect Rating Input | Fully compliant. | - |
| 4.1.4 | RADIUS Vendor-Specific Rating Attributes | Fully compliant. | - |
| 5 | Session Based Credit-Control | Not applicable. | - |
| 5.1 | General Principles | Fully compliant. | - |
| 5.1.1 | Basic Tariff-Time Change Support | Not compliant. | Validity-Time is used instead of the tariff change mechanism. |
| 5.1.2 | Credit-Control for Multiple Services within a (sub-)Session | Partially compliant. | GSU pooling and tariff time change not supported. |
| 5.2 | First Interrogation | Fully compliant. | - |
| 5.2.1 | First Interrogation after Authorization and Authentication | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|---------|---|------------------|--------------------------------|
| 5.2.2 | Authorization Messages for First Interrogation | Fully compliant. | - |
| 5.3 | Intermediate Interrogation | Fully compliant. | - |
| 5.4 | Final Interrogation | Fully compliant. | - |
| 5.5 | Server-Initiated Credit Re-Authorization | Not compliant. | Reauthorization not supported. |
| 5.6 | Graceful Service Termination | Fully compliant. | - |
| 5.6.1 | Terminate Action | Fully compliant. | - |
| 5.6.2 | Redirect Action | Fully compliant. | - |
| 5.6.3 | Restrict Access Action | Not compliant. | - |
| 5.6.4 | Usage of the Server-Initiated Credit Re-Authorization | Fully compliant. | - |
| 5.7 | Failure Procedures | Fully compliant. | - |
| 6 | One Time Event | Fully compliant. | - |
| 6.1 | Service Price Enquiry | Not compliant. | - |
| 6.2 | Balance Check | Fully compliant. | - |
| 6.3 | Direct Debiting | Fully compliant. | - |
| 6.4 | Refund | Fully compliant. | - |
| 6.5 | Failure Procedure | Fully compliant. | - |
| 7 | Credit-Control Application State Machine | Fully compliant. | - |
| 8 | Credit-Control AVPs | Not applicable. | - |
| 8.1 | CC-Correlation-Id AVP | Fully compliant. | - |
| 8.2 | CC-Request-Number AVP | Fully compliant. | - |
| 8.3 | CC-Request-Type AVP | Fully compliant. | - |
| 8.4 | CC-Session-Failover AVP | Fully compliant. | - |
| 8.5 | CC-Sub-Session-Id AVP | Not compliant. | - |
| 8.6 | Check-Balance-Result AVP | Fully compliant. | - |
| 8.7 | Cost-Information AVP | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|---------|--------------------------------------|----------------------|--|
| 8.8 | Unit-Value AVP | Fully compliant. | - |
| 8.9 | Exponent AVP | Fully compliant. | - |
| 8.10 | Value-Digits AVP | Fully compliant. | - |
| 8.11 | Currency-Code AVP | Fully compliant. | - |
| 8.12 | Cost-Unit AVP | Fully compliant. | - |
| 8.13 | Credit-Control AVP | Fully compliant. | - |
| 8.14 | Credit-Control-Failure-Handling AVP | Fully compliant. | - |
| 8.15 | Direct-Debiting-Failure-Handling AVP | Fully compliant. | - |
| 8.16 | Multiple-Services-Credit-Control AVP | Partially compliant. | GSU pooling and tariff time change not supported. Only a single Used-Service-Unit is supported. |
| 8.17 | Granted-Service-Unit AVP | Partially compliant. | Only a single unit type is supported. |
| 8.18 | Requested-Service-Unit AVP | Partially compliant. | Only a single unit type is supported. |
| 8.19 | Used-Service-Unit AVP | Partially compliant. | Only a single unit type is supported. |
| 8.20 | Tariff-Time-Change AVP | Not compliant. | - |
| 8.21 | CC-Time AVP | Fully compliant. | - |
| 8.22 | CC-Money AVP | Fully compliant. | - |
| 8.23 | CC-Total-Octets AVP | Fully compliant. | - |
| 8.24 | CC-Input-Octets AVP | Fully compliant. | - |
| 8.25 | CC-Output-Octets AVP | Fully compliant. | - |
| 8.26 | CC-Service-Specific-Units AVP | Fully compliant. | - |
| 8.27 | Tariff-Change-Usage AVP | Not compliant. | - |
| 8.28 | Service-Identifier AVP | Fully compliant. | - |
| 8.29 | Rating-Group AVP | Fully compliant. | - |
| 8.30 | G-S-U-Pool-Reference AVP | Not compliant. | - |
| 8.31 | G-S-U-Pool-Identifier AVP | Not compliant. | - |
| 8.32 | CC-Unit-Type AVP | Not compliant. | - |

| Section | Section Heading | Compliance | Notes |
|---------|---------------------------------------|----------------------|--|
| 8.33 | Validity-Time AVP | Fully compliant. | - |
| 8.34 | Final-Unit-Indication AVP | Fully compliant. | - |
| 8.35 | Final-Unit-Action AVP | Partially compliant. | Restricted access is not supported. |
| 8.36 | Restriction-Filter-Rule AVP | Not compliant. | - |
| 8.37 | Redirect-Server AVP | Fully compliant. | - |
| 8.38 | Redirect-Address-Type AVP | Fully compliant. | - |
| 8.39 | Redirect-Server-Address AVP | Fully compliant. | - |
| 8.40 | Multiple-Services-Indicator AVP | Fully compliant. | - |
| 8.41 | Requested-Action AVP | Partially compliant. | Value 3 (PRICE_ENQUIRY) not supported. |
| 8.42 | Service-Context-Id AVP | Fully compliant. | - |
| 8.43 | Service-Parameter-Info AVP | Fully compliant. | - |
| 8.44 | Service-Parameter-Type AVP | Fully compliant. | - |
| 8.45 | Service-Parameter-Value AVP | Fully compliant. | - |
| 8.46 | Subscription-Id AVP | Fully compliant. | - |
| 8.47 | Subscription-Id-Type AVP | Fully compliant. | - |
| 8.48 | Subscription-Id-Data AVP | Fully compliant. | - |
| 8.49 | User-Equipment-Info AVP | Fully compliant. | - |
| 8.50 | User-Equipment-Info-Type AVP | Fully compliant. | - |
| 8.51 | User-Equipment-Info-Value AVP | Fully compliant. | - |
| 8.52 | User-Equipment-Info-Extension AVP | Not compliant. | Not used. |
| 8.53 | User-Equipment-Info-IMEISV AVP | Not compliant. | Not used. |
| 8.54 | User-Equipment-Info-MAC AVP | Not compliant. | Not used. |
| 8.55 | User-Equipment-Info-EUI64 AVP | Not compliant. | Not used. |
| 8.56 | User-Equipment-Info-ModifiedEUI64 AVP | Not compliant. | Not used. |
| 8.57 | User-Equipment-Info-IMEI AVP | Not compliant. | Not used. |

| Section | Section Heading | Compliance | Notes |
|---------|---|------------------|-----------|
| 8.58 | Subscription-Id-Extension AVP | Not compliant. | Not used. |
| 8.59 | Subscription-Id-E164 AVP | Not compliant. | Not used. |
| 8.60 | Subscription-Id-IMSI AVP | Not compliant. | Not used. |
| 8.61 | Subscription-Id-SIP-URI AVP | Not compliant. | Not used. |
| 8.62 | Subscription-Id-NAI AVP | Not compliant. | Not used. |
| 8.63 | Subscription-Id-Private AVP | Not compliant. | Not used. |
| 8.64 | Redirect-Server-Extension AVP | Not compliant. | Not used. |
| 8.65 | Redirect-Address-IPAddress AVP | Not compliant. | Not used. |
| 8.66 | Redirect-Address-URL AVP | Not compliant. | Not used. |
| 8.67 | Redirect-Address-SIP-URI AVP | Not compliant. | Not used. |
| 8.68 | QoS-Final-Unit-Indication AVP | Not compliant. | Not used. |
| 9 | Result Code AVP Values | Fully compliant. | - |
| 9.1 | Transient Failures | Fully compliant. | - |
| 9.2 | Permanent Failures | Fully compliant. | - |
| 10 | AVP Occurrence Table | Fully compliant. | - |
| 10.1 | Credit-Control AVP Table | Fully compliant. | - |
| 10.2 | Re-Auth-Request/Answer AVP Table | Fully compliant. | - |
| 11 | RADIUS/Diameter Credit-Control Interworking Model | Fully compliant. | - |
| 12 | IANA Considerations | Not applicable. | - |
| 12.1 | Application Identifier | Fully compliant. | - |
| 12.2 | Command Codes | Fully compliant. | - |
| 12.3 | AVP Codes | Fully compliant. | - |
| 12.4 | Result-Code AVP Values | Fully compliant. | - |
| 12.5 | CC-Request-Type AVP | Fully compliant. | - |
| 12.6 | CC-Session-Failover AVP | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|------------|---|----------------------|--|
| 12.7 | CC-Unit-Type AVP | Fully compliant. | - |
| 12.8 | Check-Balance-Result AVP | Fully compliant. | - |
| 12.9 | Credit-Control AVP | Fully compliant. | - |
| 12.10 | Credit-Control-Failure-Handling AVP | Fully compliant. | - |
| 12.11 | Direct-Debiting-Failure-Handling AVP | Fully compliant. | - |
| 12.12 | Final-Unit-Action AVP | Fully compliant. | - |
| 12.13 | Multiple-Services-Indicator AVP | Fully compliant. | - |
| 12.14 | Redirect-Address-Type AVP | Fully compliant. | - |
| 12.15 | Requested-Action AVP | Fully compliant. | - |
| 12.16 | Subscription-Id-Type AVP | Fully compliant. | - |
| 12.17 | Tariff-Change-Usage AVP | Not compliant. | - |
| 12.18 | User-Equipment-Info-Type AVP | Fully compliant. | - |
| 13 | Credit-Control Application Related Parameters | Fully compliant. | - |
| 14 | Security Considerations | Partially compliant. | IPSec may be applied via an external gateway. TLS/DTLS not supported. |
| 14.1 | Direct Connection with Redirects | Not applicable. | - |
| 15 | Privacy Considerations | Fully compliant. | - |
| 15.1 | Privacy-Sensitive AVPs | Not applicable. | Network segregation is site-specific. |
| 15.2 | Data Minimization | Fully compliant. | - |
| 15.3 | Diameter Agents | Not applicable. | Network segregation is site-specific. |
| 16 | References | Not applicable. | - |
| 16.1 | Normative References | Not applicable. | - |
| 16.2 | Informative References | Not applicable. | - |
| 16 | Acknowledgements | Not applicable. | - |
| Appendix A | Credit-Control Sequences | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|---------|-----------------|------------------|---|
| A.1 | Flow I | Fully compliant. | Refer to <i>Figure B: Call session, success, user termination</i> and <i>Figure C: Call session, session continuation</i> . |
| A.2 | Flow II | Fully compliant. | Refer to <i>Figure B: Call session, success, user termination</i> and <i>Figure C: Call session, session continuation</i> . |
| A.3 | Flow III | Fully compliant. | Refer to <i>Figure K: Event debit, success</i> . |
| A.4 | Flow IV | Fully compliant. | Refer to <i>Figure O: Balance check</i> . |
| A.5 | Flow V | Not compliant. | PRICE_ENQUIRY not supported. |
| A.6 | Flow VI | Fully compliant. | Refer to <i>Figure L: Event debit, refund</i> . |
| A.7 | Flow VII | Fully compliant. | Refer to <i>Figure A: Call session, success, OCS termination</i> . |
| A.8 | Flow VIII | Not compliant. | Reauthorization not supported. |
| A.9 | Flow IX | Not applicable. | IN/NGIN messaging does not support distinct services within a parent session. |

Table 11: N2DSG compliance to RFC 8506

6.3 Compliance to 3GPP TS 32.299 (Release 16)

Note that compliance to individual AVP definitions is not limited to their defined purpose within the 3GPP message flow structure; N2DSG supports arbitrary AVP definitions for use in rating as set out in section 4.4: *Credit Control Messaging*.

| Section | Section Heading | Compliance | Notes |
|---------|--|-----------------|-------|
| - | Foreword | Not applicable. | - |
| 1 | Scope | Not applicable. | - |
| 2 | References | Not applicable. | - |
| 3 | Definitions, symbols and abbreviations | Not applicable. | - |
| 3.1 | Definitions | Not applicable. | - |
| 3.2 | Symbols | Not applicable. | - |
| 3.3 | Abbreviations | Not applicable. | - |
| 4 | Architecture considerations | Not applicable. | - |

| Section | Section Heading | Compliance | Notes |
|-----------|---|------------------|---|
| 4.1 | High level architecture | Not applicable. | - |
| 4.1.0 | General | Fully compliant. | SCP functions as CTF over Ro. |
| 4.1.1 | Charging related transfer requirements | Fully compliant. | - |
| 5 | 3GPP charging applications requirements | Not applicable. | - |
| 5.1 | Offline charging scenarios | Not applicable. | SCP functions as online charging with offline fallback. |
| 5.1.1 | Basic principles | Not applicable. | SCP functions as online charging with offline fallback. |
| 5.1.1.0 | Introduction | Not applicable. | SCP functions as online charging with offline fallback. |
| 5.1.1.1 | Event based charging | Not applicable. | SCP functions as online charging with offline fallback. |
| 5.1.1.2 | Session based charging | Not applicable. | SCP functions as online charging with offline fallback. |
| 5.1.2 | Basic operation | Not applicable. | SCP functions as online charging with offline fallback. |
| 5.2 | Online charging scenarios | Not applicable. | - |
| 5.2.0 | Introduction | Fully compliant. | SCP functions as CTF over Ro. |
| 5.2.1 | Basic principles | Fully compliant. | - |
| 5.2.2 | Charging scenarios | Not applicable. | - |
| 5.2.2.0 | Introduction | Fully compliant. | - |
| 5.2.2.1 | Immediate Event Debit (IEC) | Fully compliant. | Supported with CCR/CCA. |
| 5.2.2.1.1 | Decentralized Unit Determination and Centralized Rating | Fully compliant. | Supported with CCR/CCA. |
| 5.2.2.1.2 | Centralized Unit Determination and Centralized Rating | Fully compliant. | Supported with CCR/CCA. |
| 5.2.2.1.3 | Decentralized Unit Determination and Decentralized Rating | Fully compliant. | Supported with CCR/CCA. |
| 5.2.2.1.4 | Further options | Not applicable. | Service delivery is not a CTF function. |
| 5.2.2.2 | Event Debit with Unit Reservation (ECUR) | Fully compliant. | Supported with CCR/CCA. |
| 5.2.2.2.1 | Decentralized Unit Determination and Centralized Rating | Fully compliant. | Supported with CCR/CCA. |
| 5.2.2.2.2 | Centralized Unit Determination and Centralized Rating | Fully compliant. | Supported with CCR/CCA. |

| Section | Section Heading | Compliance | Notes |
|-----------|---|----------------------|---|
| 5.2.2.2.3 | Decentralized Unit Determination and Decentralized Rating | Not applicable. | No suitable IN/NGIN messaging available. |
| 5.2.2.3 | Session charging with Reservation | Fully compliant. | Supported with CCR/CCA. |
| 5.2.2.3.1 | Decentralized Unit Determination and Centralized Rating | Fully compliant. | Supported with CCR/CCA. |
| 5.2.2.3.2 | Centralized Unit Determination and Centralized Rating | Fully compliant. | Supported with CCR/CCA. |
| 5.2.2.3.3 | Decentralized Unit Determination and Decentralized Rating | Not applicable. | No suitable IN/NGIN messaging available. |
| 5.2.3 | Basic operations | Partially compliant. | Supported with CCR/CCA. Forwarding not supported. |
| 5.3 | Other requirements | Not applicable. | - |
| 5.3.1 | Re-authorization | Fully compliant. | - |
| 5.3.2 | Threshold based re-authorization triggers | Not compliant. | - |
| 5.3.3 | Termination action | Fully compliant. | - |
| 5.3.4 | Account expiration | Not compliant. | - |
| 6 | 3GPP charging applications – Protocol aspects | Not applicable. | - |
| 6.1 | Basic principles for Diameter offline charging | Not applicable. | - |
| 6.1.0 | Introduction | Not applicable. | SCP functions as online charging with offline fallback. |
| 6.1.1 | Event based charging | Not applicable. | SCP functions as online charging with offline fallback. |
| 6.1.2 | Session based charging | Not applicable. | SCP functions as online charging with offline fallback. |
| 6.1.3 | Offline charging error cases - Diameter procedures | Not applicable. | SCP functions as online charging with offline fallback. |
| 6.1.3.1 | CDF connection failure | Not applicable. | SCP functions as online charging with offline fallback. |
| 6.1.3.2 | No reply from CDF | Not applicable. | SCP functions as online charging with offline fallback. |
| 6.1.3.3 | Duplicate detection | Not applicable. | SCP functions as online charging with offline fallback. |
| 6.1.3.4 | CDF detected failure | Not applicable. | SCP functions as online charging with offline fallback. |
| 6.2 | Message contents for offline charging | Not applicable. | SCP functions as online charging with offline fallback. |

| Section | Section Heading | Compliance | Notes |
|---------|---|----------------------|---|
| 6.2.1 | Summary of offline charging message formats | Not applicable. | SCP functions as online charging with offline fallback. |
| 6.2.1.1 | General | Not applicable. | SCP functions as online charging with offline fallback. |
| 6.2.1.2 | Structure for the Accounting message formats | Not applicable. | SCP functions as online charging with offline fallback. |
| 6.2.2 | Accounting-Request message | Not applicable. | SCP functions as online charging with offline fallback. |
| 6.2.3 | Accounting-Answer (ACA) message | Not applicable. | SCP functions as online charging with offline fallback. |
| 6.3 | Basic principles for Diameter online charging | Not applicable. | - |
| 6.3.1 | Online Specific Credit-Control application requirements | Fully compliant. | - |
| 6.3.2 | Diameter description on the Ro reference point | Not applicable. | - |
| 6.3.2.1 | Basic principles | Fully compliant. | - |
| 6.3.3 | Immediate Event Debit (IEC) | Partially compliant. | PRICE_ENQUIRY not supported. |
| 6.3.4 | Event Debit with Unit Reservation (ECUR) | Fully compliant. | - |
| 6.3.5 | Session Charging with Unit Reservation (SCUR) | Fully compliant. | - |
| 6.3.6 | Error cases and scenarios | Not applicable. | - |
| 6.3.6.0 | Introduction | Not applicable. | - |
| 6.3.6.1 | Duplicate detection | Fully compliant. | - |
| 6.3.6.2 | Reserve Units / Debit Units operation failure | Not applicable. | - |
| 6.3.7 | Support of tariff changes during an active user session | Not applicable. | - |
| 6.3.7.1 | Support of tariff changes using the tariff switch mechanism | Not compliant. | Validity-Time is used instead of the tariff change mechanism. |
| 6.3.7.2 | Support of tariff changes using Validity-Time AVP | Fully compliant. | - |
| 6.3.8 | Support of re-authorization | Fully compliant. | - |
| 6.3.9 | Support of failure handling | Not applicable. | - |
| 6.3.10 | Support of failover | Not applicable. | - |
| 6.3.11 | Credit pooling | Not compliant. | - |
| 6.4 | Message formats for online charging | Not applicable. | - |
| 6.4.1 | Summary of online charging message formats | Not applicable. | - |

| Section | Section Heading | Compliance | Notes |
|---------|--|----------------------|--|
| 6.4.1.1 | General | Fully compliant. | - |
| 6.4.1.2 | Structure for the Credit-Control message formats | Fully compliant. | - |
| 6.4.2 | Credit-Control-Request message | Partially compliant. | Refer to <i>Table 6: Credit-Control-Request message parameters (sent from N2DSG)</i> . |
| 6.4.3 | Credit-Control-Answer message | Partially compliant. | Refer to <i>Table 7: Credit-Control-Answer message parameters (sent to N2DSG)</i> . |
| 6.4.4 | Re-Auth-Request message | Not compliant. | Reauthorization not supported. |
| 6.4.5 | Re-Auth-Answer message | Not compliant. | Reauthorization not supported. |
| 6.4.6 | Capabilities-Exchange-Request message | Partially compliant. | Refer to <i>Table 3: Capability exchange message parameters</i> . |
| 6.4.7 | Capabilities-Exchange-Answer message | Partially compliant. | Refer to <i>Table 3: Capability exchange message parameters</i> . |
| 6.4.8 | Device-Watchdog-Request message | Partially compliant. | Refer to <i>Table 5: Device watchdog message parameters</i> . |
| 6.4.9 | Device-Watchdog-Answer message | Partially compliant. | Refer to <i>Table 5: Device watchdog message parameters</i> . |
| 6.4.10 | Disconnect-Peer-Request message | Partially compliant. | Refer to <i>Table 4: Disconnect peer message parameters</i> . |
| 6.4.11 | Disconnect-Peer-Answer message | Partially compliant. | Refer to <i>Table 4: Disconnect peer message parameters</i> . |
| 6.4.12 | Abort-Session-Request message | Partially compliant. | Refer to <i>Table 8:4.4.2.1 Abort-Session-Request message parameters (sent to N2DSG)</i> . |
| 6.4.13 | Abort-Session -Answer message | Partially compliant. | Refer to <i>Table 9: Abort-Session-Answer message parameters (sent from N2DSG)</i> . |
| 6.5 | Other procedural description of the 3GPP charging applications | Not applicable. | - |
| 6.5.1 | Re-Authorization | Not applicable. | - |
| 6.5.1.1 | Idle timeout | Not compliant. | - |
| 6.5.1.2 | Change of charging conditions | Not compliant. | - |
| 6.5.1.3 | Reporting quota usage | Not compliant. | Quota threshold reauthorization not supported. |
| 6.5.1.4 | Quota consumption | Not compliant. | - |
| 6.5.2 | Threshold based Re-Authorization triggers | Not compliant. | - |
| 6.5.3 | Termination action | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|----------|---|----------------------|--|
| 6.5.4 | Quota consumption time | Not compliant. | Validity-Time is used instead of the quota consumption time mechanism. |
| 6.5.5 | Service termination | Fully compliant. | - |
| 6.5.6 | Envelope reporting | Not applicable. | - |
| 6.5.6.1 | Envelope reporting in Online Charging | Not compliant. | Envelope charging not supported. |
| 6.5.6.2 | Envelope reporting in Offline Charging | Not compliant. | Envelope charging not supported. |
| 6.5.6.3 | Envelope reporting - Quota consumption time | Not compliant. | - |
| 6.5.6.4 | Envelope reporting - Combinational quota | Not compliant. | - |
| 6.5.7 | Combinational quota | Not compliant. | - |
| 6.5.8 | Online control of offline charging information | Not compliant. | - |
| 6.5.9 | Support of multiple service | Fully compliant. | - |
| 6.5.10 | Supported Features mechanism | Not applicable. | - |
| 6.5.10.1 | Introduction | Not applicable. | - |
| 6.5.10.2 | Defining a feature | Not compliant. | - |
| 6.5.10.3 | Supported Feature handling | Not compliant. | - |
| 6.6 | Bindings of the operation to protocol application | Not applicable. | - |
| 6.6.0 | General | Fully compliant. | - |
| 6.6.1 | Bindings of Charging Data Transfer to Accounting | Not applicable. | Not used for credit control. |
| 6.6.2 | Bindings of Debit / Reserve Units to Credit-Control | Fully compliant. | - |
| 6.7 | Securing Diameter messages | - | Refer to Table 10: N2DSG compliance to RFC 6733. |
| 7 | Summary of used Attribute Value Pairs | Not applicable. | - |
| 7.1 | Diameter AVPs | Not applicable. | - |
| 7.1.0 | General | Partially compliant. | Refer to individual AVP compliance. |
| 7.1.1 | Accounting-Input-Octets AVP | Not applicable. | Not used for credit control. |
| 7.1.2 | Void | Not applicable. | - |
| 7.1.3 | Accounting-Output-Octets AVP | Not applicable. | Not used for credit control. |

| Section | Section Heading | Compliance | Notes |
|---------|--------------------------------------|----------------------|---|
| 7.1.4 | Void | Not applicable. | - |
| 7.1.5 | Acct-Application-Id AVP | Not applicable. | Not used for credit control. |
| 7.1.6 | Auth-Application-Id AVP | Fully compliant. | - |
| 7.1.7 | Called-Station-Id AVP | Fully compliant. | - |
| 7.1.8 | Event-Timestamp AVP | Fully compliant. | - |
| 7.1.8A | Experimental-Result AVP | Not compliant. | - |
| 7.1.9 | Multiple-Services-Credit-Control AVP | Partially compliant. | GSU pooling, quota management, envelope reporting, triggering, and tariff time change not supported. Only a single Used-Service-Unit is supported. Additional AVPs are supported. |
| 7.1.10 | Rating-Group AVP | Fully compliant. | - |
| 7.1.11 | Result-Code AVP | Fully compliant. | - |
| 7.1.12 | Service-Context-Id AVP | Fully compliant. | - |
| 7.1.13 | Service-Identifier AVP | Fully compliant. | - |
| 7.1.14 | Used-Service-Unit AVP | Partially compliant. | Only a single unit type is supported. |
| 7.1.15 | User-Name AVP | Fully compliant. | - |
| 7.1.16 | Vendor-Id AVP | Fully compliant. | - |
| 7.1.17 | User-Equipment-Info AVP | Fully compliant. | - |
| 7.2 | 3GPP specific AVPs | Not applicable. | - |
| 7.2.0 | General | Not applicable. | - |
| 7.2.0A | Access-Network-Info-Change AVP | Fully compliant. | - |
| 7.2.0aA | 3GPP-PS-Data-Off-Status AVP | Fully compliant. | - |
| 7.2.1 | Access-Network-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.1A | Access-Transfer-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.1B | Access-Transfer-Type AVP | Fully compliant. | - |
| 7.2.2 | Account-Expiration AVP | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|----------|-------------------------------------|------------------|--------------------------------|
| 7.2.3 | Accumulated-Cost AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.4 | Adaptations AVP | Fully compliant. | - |
| 7.2.5 | Additional-Content-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.5A | Additional-Exception-Reports AVP | Fully compliant. | - |
| 7.2.6 | Additional-Type-Information AVP | Fully compliant. | - |
| 7.2.7 | Address-Data AVP | Fully compliant. | - |
| 7.2.8 | Address-Domain AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.9 | Address-Type AVP | Fully compliant. | - |
| 7.2.10 | Addressee-Type AVP | Fully compliant. | - |
| 7.2.11 | AF-Correlation-Information AVP | Not compliant. | - |
| 7.2.12 | Alternate-Charged-Party-Address AVP | Fully compliant. | - |
| 7.2.12aA | Announcement-Identifier AVP | Fully compliant. | - |
| 7.2.12aB | Announcement-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.12aC | Announcement-Order AVP | Fully compliant. | - |
| 7.2.12aD | Announcing-PLMN-ID AVP | Fully compliant. | - |
| 7.2.12A | Announcing-UE-HPLMN-Identifier AVP | Fully compliant. | - |
| 7.2.12B | Announcing-UE-VPLMN-Identifier AVP | Fully compliant. | - |
| 7.2.13 | AoC-Cost-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.14 | AoC-Format AVP | Fully compliant. | - |
| 7.2.15 | AoC-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.16 | AoC-Request-Type AVP | Fully compliant. | - |
| 7.2.17 | AoC-Service AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.18 | AoC-Service-Obligatory-Type AVP | Fully compliant. | - |
| 7.2.19 | AoC-Service-Type AVP | Fully compliant. | - |
| 7.2.20 | AoC-Subscription-Information AVP | Not applicable. | Refer to child AVP compliance. |

| Section | Section Heading | Compliance | Notes |
|----------|---|------------------|--------------------------------|
| 7.2.20aA | API-Content AVP | Fully compliant. | - |
| 7.2.20bA | API-Direction AVP | Fully compliant. | - |
| 7.2.20cA | API-Identifier AVP | Fully compliant. | - |
| 7.2.20dA | API-Invocation-Timestamp AVP | Fully compliant. | - |
| 7.2.20eA | API-Network-Service-Node AVP | Fully compliant. | - |
| 7.2.20fA | API-Result-Code AVP | Fully compliant. | - |
| 7.2.20gA | API-Size AVP | Fully compliant. | - |
| 7.2.20A | APN-Rate-Control AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.20B | APN-Rate-Control-Downlink AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.20C | APN-Rate-Control-Uplink AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.21 | Applic-ID AVP | Fully compliant. | - |
| 7.2.22 | Application-Provided-Called-Party-Address AVP | Fully compliant. | - |
| 7.2.23 | Application-Server AVP | Fully compliant. | - |
| 7.2.24 | Application-Server-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.24A | Application-Specific-Data AVP | Fully compliant. | - |
| 7.2.25 | Associated-Party-Address AVP | Fully compliant. | - |
| 7.2.26 | Associated-URI AVP | Fully compliant. | - |
| 7.2.27 | Authorised-QoS AVP | Fully compliant. | - |
| 7.2.28 | Aux-Applic-Info AVP | Fully compliant. | - |
| 7.2.29 | Base-Time-Interval AVP | Not compliant. | - |
| 7.2.29A | Basic-Service-Code AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.29B | Bearer-Capability AVP | Fully compliant. | - |
| 7.2.30 | Bearer-Service AVP | Fully compliant. | - |
| 7.2.30A | BSSID AVP | Fully compliant. | - |
| 7.2.31 | Called-Asserted-Identity AVP | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|-----------|---|------------------|--------------------------------|
| 7.2.31A | Called-Identity AVP | Fully compliant. | - |
| 7.2.31B | Called-Identity-Change AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.32 | Called-Party-Address AVP | Fully compliant. | - |
| 7.2.33 | Calling-Party-Address AVP | Fully compliant. | - |
| 7.2.34 | Carrier-Select-Routing-Information AVP | Fully compliant. | - |
| 7.2.35 | Cause-Code AVP | Fully compliant. | - |
| 7.2.35A | Cellular-Network-Information AVP | Fully compliant. | - |
| 7.2.35B | Civic-Address-Information AVP | Fully compliant. | - |
| 7.2.36 | CG-Address AVP | Fully compliant. | - |
| 7.2.37 | Change-Condition AVP | Fully compliant. | - |
| 7.2.38 | Change-Time AVP | Fully compliant. | - |
| 7.2.38A | Charge-Reason-Code AVP | Fully compliant. | - |
| 7.2.39 | Charged-Party AVP | Fully compliant. | - |
| 7.2.39A | Charging-Characteristics-Selection-Mode AVP | Fully compliant. | - |
| 7.2.39B | Charging-Per-IP-CAN-Session-Indicator AVP | Fully compliant. | - |
| 7.2.40 | Class-Identifier AVP | Fully compliant. | - |
| 7.2.41 | Client-Address AVP | Fully compliant. | - |
| 7.2.41A | CN-Operator-Selection-Entity AVP | Fully compliant. | - |
| 7.2.42 | Content-Class AVP | Fully compliant. | - |
| 7.2.43 | Content-Disposition AVP | Fully compliant. | - |
| 7.2.44 | Content-Length AVP | Fully compliant. | - |
| 7.2.45 | Content-Size AVP | Fully compliant. | - |
| 7.2.46 | Content-Type AVP | Fully compliant. | - |
| 7.2.46aA | Coverage-Status AVP | Fully compliant. | - |
| 7.2.46aaA | Coverage-Info AVP | Not applicable. | Refer to child AVP compliance. |

| Section | Section Heading | Compliance | Notes |
|-----------|--|------------------|--------------------------------|
| 7.2.46abA | CP-CIoT-EPS-Optimisation-Indicator AVP | Fully compliant. | - |
| 7.2.46acA | CPDT-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.46A | CSG-Access-Mode AVP | Fully compliant. | - |
| 7.2.46B | CSG-Membership-Indication AVP | Fully compliant. | - |
| 7.2.47 | Current-Tariff AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.48 | CUG-Information AVP | Fully compliant. | - |
| 7.2.49 | Data-Coding-Scheme AVP | Fully compliant. | - |
| 7.2.50 | DCD-Information AVP | Fully compliant. | - |
| 7.2.51 | Deferred-Location-Event-Type AVP | Fully compliant. | - |
| 7.2.52 | Delivery-Report-Requested AVP | Fully compliant. | - |
| 7.2.53 | Destination-Interface AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.54 | Diagnostics AVP | Fully compliant. | - |
| 7.2.54A | Discoveree-UE-HPLMN-Identifier AVP | Fully compliant. | - |
| 7.2.54B | Discoveree-UE-VPLMN-Identifier AVP | Fully compliant. | - |
| 7.2.54C | Discoverer-UE-HPLMN-Identifier AVP | Fully compliant. | - |
| 7.2.54D | Discoverer-UE-VPLMN-Identifier AVP | Fully compliant. | - |
| 7.2.55 | Domain-Name AVP | Fully compliant. | - |
| 7.2.56 | DRM-Content AVP | Fully compliant. | - |
| 7.2.57 | Dynamic-Address-Flag AVP | Fully compliant. | - |
| 7.2.57A | Dynamic-Address-Flag-Extension AVP | Fully compliant. | - |
| 7.2.58 | Early-Media-Description AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.58A | Enhanced-Diagnostics AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.59 | Envelope AVP | Not compliant. | - |
| 7.2.60 | Envelope-End-Time AVP | Not compliant. | - |
| 7.2.61 | Envelope-Reporting AVP | Not compliant. | - |

| Section | Section Heading | Compliance | Notes |
|----------|--|------------------|--------------------------------|
| 7.2.62 | Envelope-Start-Time AVP | Not compliant. | - |
| 7.2.62A | EPDG-Address AVP | Fully compliant. | - |
| 7.2.63 | Event AVP | Fully compliant. | - |
| 7.2.64 | Event-Charging-TimeStamp AVP | Fully compliant. | - |
| 7.2.65 | Event-Type AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.66 | Expires AVP | Fully compliant. | - |
| 7.2.66A | FE-Identifier-List AVP | Fully compliant. | - |
| 7.2.66aA | Exposure-Function-API-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.67 | File-Repair-Supported AVP | Fully compliant. | - |
| 7.2.67aA | Forwarding-Pending AVP | Fully compliant. | - |
| 7.2.67A | From-Address AVP | Fully compliant. | - |
| 7.2.68 | GGSN-Address AVP | Fully compliant. | - |
| 7.2.69 | IM-Information AVP | Fully compliant. | - |
| 7.2.70 | Incremental-Cost AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.70A | Instance-Id AVP | Fully compliant. | - |
| 7.2.71 | Interface-Id AVP | Fully compliant. | - |
| 7.2.72 | Interface-Port AVP | Fully compliant. | - |
| 7.2.73 | Interface-Text AVP | Fully compliant. | - |
| 7.2.74 | Interface-Type AVP | Fully compliant. | - |
| 7.2.74aA | Inter-UE-Transfer AVP | Fully compliant. | - |
| 7.2.74A | IMS-Application-Reference-Identifier AVP | Fully compliant. | - |
| 7.2.75 | IMS-Charging-Identifier AVP | Fully compliant. | - |
| 7.2.76 | IMS-Communication-Service-Identifier AVP | Fully compliant. | - |
| 7.2.76A | IMS-Emergency-Indicator AVP | Fully compliant. | - |
| 7.2.77 | IMS-Information AVP | Not applicable. | Refer to child AVP compliance. |

| Section | Section Heading | Compliance | Notes |
|----------|-------------------------------------|------------------|--------------------------------|
| 7.2.77A | IMS-Visited-Network-Identifier AVP | Fully compliant. | - |
| 7.2.78 | IMSI-Unauthenticated-Flag AVP | Fully compliant. | - |
| 7.2.79 | Incoming-Trunk-Group-ID AVP | Fully compliant. | - |
| 7.2.79A | Initial-IMS-Charging-Identifier AVP | Fully compliant. | - |
| 7.2.80 | Inter-Operator-Identifier AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.80A | IP-Realm-Default-Indication AVP | Fully compliant. | - |
| 7.2.80B | ISUP-Cause AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.80C | ISUP-Cause-Diagnostics AVP | Fully compliant. | - |
| 7.2.80D | ISUP-Cause-Location AVP | Fully compliant. | - |
| 7.2.80E | ISUP-Cause-Value AVP | Fully compliant. | - |
| 7.2.80F | ISUP-Location-Number AVP | Fully compliant. | - |
| 7.2.80Fa | Language AVP | Fully compliant. | - |
| 7.2.80G | Layer-2-Group-ID AVP | Fully compliant. | - |
| 7.2.81 | LCS-APN AVP | Fully compliant. | - |
| 7.2.82 | LCS-Client-Dialed-By-MS AVP | Fully compliant. | - |
| 7.2.83 | LCS-Client-External-ID AVP | Fully compliant. | - |
| 7.2.84 | LCS-Client-ID AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.85 | LCS-Client-Name AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.86 | LCS-Client-Type AVP | Fully compliant. | - |
| 7.2.87 | LCS-Data-Coding-Scheme AVP | Fully compliant. | - |
| 7.2.88 | LCS-Format-Indicator AVP | Fully compliant. | - |
| 7.2.89 | LCS-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.90 | LCS-Name-String AVP | Fully compliant. | - |
| 7.2.91 | LCS-Requestor-ID AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.92 | LCS-Requestor-ID-String AVP | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|-----------|----------------------------------|------------------|--------------------------------|
| 7.2.92A | Local-GW-Inserted-Indication AVP | Fully compliant. | - |
| 7.2.93 | Local-Sequence-Number AVP | Fully compliant. | - |
| 7.2.94 | Location-Estimate AVP | Fully compliant. | - |
| 7.2.95 | Location-Estimate-Type AVP | Fully compliant. | - |
| 7.2.95A | Location-Info AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.96 | Location-Type AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.97 | Low-Balance-Indication AVP | Fully compliant. | - |
| 7.2.97A | Low-Priority-Indicator AVP | Fully compliant. | - |
| 7.2.97B | MBMS-Charged-Party AVP | Fully compliant. | - |
| 7.2.98 | MBMS-GW-Address AVP | Fully compliant. | - |
| 7.2.99 | MBMS-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.100 | MBMS-User-Service-Type AVP | Fully compliant. | - |
| 7.2.101 | Media-Initiator-Flag AVP | Fully compliant. | - |
| 7.2.102 | Media-Initiator-Party AVP | Fully compliant. | - |
| 7.2.103 | Message-Body AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.104 | Message-Class AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.105 | Message-ID AVP | Fully compliant. | - |
| 7.2.106 | Message-Size AVP | Fully compliant. | - |
| 7.2.107 | Message-Type AVP | Fully compliant. | - |
| 7.2.108 | MM-Content-Type AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.109 | MMBox-Storage-Requested AVP | Fully compliant. | - |
| 7.2.110 | MMS-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.111 | MMTel-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.111A | MMTel-SService-Type AVP | Fully compliant. | - |
| 7.2.111Aa | Monitored-PLMN-Identifier AVP | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|------------|---|------------------|--------------------------------|
| 7.2.111AaA | Monitoring-Event-Configuration-Activity AVP | Fully compliant. | - |
| 7.2.111AaB | Monitoring-Event-Functionality AVP | Fully compliant. | - |
| 7.2.111AaC | Monitoring-Event-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.111AaD | Monitoring-Event-Report-Data AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.111AaE | Monitoring-Event-Report-Number AVP | Fully compliant. | - |
| 7.2.111Ab | Monitoring-UE-HPLMN-Identifier AVP | Fully compliant. | - |
| 7.2.111Ac | Monitoring-UE-Identifier AVP | Fully compliant. | - |
| 7.2.111Ad | Monitoring-UE-VPLMN-Identifier AVP | Fully compliant. | - |
| 7.2.111B | MSC-Address AVP | Fully compliant. | - |
| 7.2.111C | MTC-IWF-Address AVP | Fully compliant. | - |
| 7.2.111D | Neighbour-Node-Address AVP | Fully compliant. | - |
| 7.2.111E | Network-Call-Reference-Number AVP | Fully compliant. | - |
| 7.2.112 | Next-Tariff AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.112aA | NIDD-Submission AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.112A | NNI-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.112B | NNI-Type AVP | Fully compliant. | - |
| 7.2.113 | Node-Functionality AVP | Fully compliant. | - |
| 7.2.114 | Node-Id AVP | Fully compliant. | - |
| 7.2.115 | Number-Of-Diversions AVP | Fully compliant. | - |
| 7.2.116 | Number-Of-Messages-Sent AVP | Fully compliant. | - |
| 7.2.117 | Number-Of-Participants AVP | Fully compliant. | - |
| 7.2.118 | Number-Of-Received-Talk-Bursts AVP | Fully compliant. | - |
| 7.2.119 | Number-Of-Talk-Bursts AVP | Fully compliant. | - |
| 7.2.120 | Number-Portability-Routing-Information AVP | Fully compliant. | - |
| 7.2.121 | Offline-Charging AVP | Not applicable. | Refer to child AVP compliance. |

| Section | Section Heading | Compliance | Notes |
|----------|------------------------------------|------------------|--------------------------------|
| 7.2.122 | Online-Charging-Flag AVP | Fully compliant. | - |
| 7.2.123 | Originating-IOI AVP | Fully compliant. | - |
| 7.2.124 | Originator AVP | Fully compliant. | - |
| 7.2.125 | Originator-Address AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.126 | Originator-Interface AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.127 | Originator-Received-Address AVP | Fully compliant. | - |
| 7.2.128 | Originator-SCCP-Address | Fully compliant. | - |
| 7.2.128A | Outgoing-Session-Id AVP | Fully compliant. | - |
| 7.2.129 | Outgoing-Trunk-Group-ID AVP | Fully compliant. | - |
| 7.2.130 | Participants-Involved AVP | Fully compliant. | - |
| 7.2.131 | Participant-Group AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.132 | Participant-Access-Priority AVP | Fully compliant. | - |
| 7.2.133 | Participant-Action-Type AVP | Fully compliant. | - |
| 7.2.134 | Void | Not applicable. | - |
| 7.2.135 | Void | Not applicable. | - |
| 7.2.135A | PC3-Control-Protocol-Cause AVP | Fully compliant. | - |
| 7.2.135B | PC3-EPC-Control-Protocol-Cause AVP | Fully compliant. | - |
| 7.2.136 | PDN-Connection-Charging-ID AVP | Fully compliant. | - |
| 7.2.137 | PDP-Address AVP | Fully compliant. | - |
| 7.2.137A | PDP-Address-Prefix-Length AVP | Fully compliant. | - |
| 7.2.138 | PDP-Context-Type AVP | Fully compliant. | - |
| 7.2.138A | Play-Alternative AVP | Fully compliant. | - |
| 7.2.139 | PoC-Change-Condition AVP | Fully compliant. | - |
| 7.2.140 | PoC-Change-Time AVP | Fully compliant. | - |
| 7.2.141 | PoC-Controlling-Address AVP | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|-----------|--|------------------|--------------------------------|
| 7.2.142 | PoC-Event-Type AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.143 | PoC-Group-Name AVP | Fully compliant. | - |
| 7.2.144 | PoC-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.145 | PoC-Server-Role AVP | Fully compliant. | - |
| 7.2.146 | PoC-Session-Id AVP | Fully compliant. | - |
| 7.2.147 | PoC-Session-Initiation-Type AVP | Fully compliant. | - |
| 7.2.148 | PoC-Session-Type AVP | Fully compliant. | - |
| 7.2.149 | PoC-User-Role AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.150 | PoC-User-Role-IDs AVP | Fully compliant. | - |
| 7.2.151 | PoC-User-Role-Info-Units AVP | Fully compliant. | - |
| 7.2.152 | Positioning-Data AVP | Fully compliant. | - |
| 7.2.153 | Preferred-AoC-Currency AVP | Fully compliant. | - |
| 7.2.154 | Priority AVP | Fully compliant. | - |
| 7.2.154aA | Privacy-Indicator AVP | Fully compliant. | - |
| 7.2.154A | ProSe-3rd-Party-Application-ID AVP | Fully compliant. | - |
| 7.2.154Aa | ProSe-Direct-Communication-Reception-Data-Container AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.154B | ProSe-Direct-Communication-Transmission-Data-Container AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.154C | ProSe-Direct-Discovery-Model AVP | Fully compliant. | - |
| 7.2.154D | ProSe-Event-Type AVP | Fully compliant. | - |
| 7.2.154E | ProSe-Function-IP-Address AVP | Fully compliant. | - |
| 7.2.154F | ProSe-Function-PLMN-Identifier AVP | Fully compliant. | - |
| 7.2.154G | ProSe-Functionality AVP | Fully compliant. | - |
| 7.2.154H | ProSe-Group-IP-Multicast-Address AVP | Fully compliant. | - |
| 7.2.154I | ProSe-Information AVP | Not applicable. | Refer to child AVP compliance. |

| Section | Section Heading | Compliance | Notes |
|-----------|--------------------------------------|------------------|---|
| 7.2.154J | ProSe-Range-Class AVP | Not compliant. | - |
| 7.2.154K | ProSe-Reason-For-Cancellation AVP | Fully compliant. | - |
| 7.2.154L | ProSe-Request-Timestamp AVP | Fully compliant. | - |
| 7.2.154M | ProSe-Role-Of-UE AVP | Fully compliant. | - |
| 7.2.154N | ProSe-Source-IP-Address AVP | Fully compliant. | - |
| 7.2.154O | ProSe-UE-ID AVP | Fully compliant. | - |
| 7.2.154Oa | ProSe-UE-to-Network-Relay-UE-ID AVP | Fully compliant. | - |
| 7.2.154Ob | ProSe-Target-Layer-2-ID AVP | Fully compliant. | - |
| 7.2.154P | Proximity-Alert-Indication AVP | Fully compliant. | - |
| 7.2.154Q | Proximity-Alert-Timestamp AVP | Fully compliant. | - |
| 7.2.154R | Proximity-Cancellation-Timestamp AVP | Fully compliant. | - |
| 7.2.155 | PS-Append-Free-Format-Data AVP | Fully compliant. | - |
| 7.2.156 | PS-Free-Format-Data AVP | Fully compliant. | - |
| 7.2.157 | PS-Furnish-Charging-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.158 | PS-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.159 | Quota-Consumption-Time AVP | Not compliant. | Validity-Time is used instead of the quota consumption mechanism. |
| 7.2.160 | Quota-Holding-Time AVP | Not compliant. | Validity-Time is used instead of the quota consumption mechanism. |
| 7.2.160aA | Quota-Indicator AVP | Not compliant. | - |
| 7.2.160A | Radio-Frequency AVP | Fully compliant. | - |
| 7.2.160B | Radio-Parameter-Set-Info AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.160C | Radio-Parameter-Set-Values AVP | Fully compliant. | - |
| 7.2.160D | Radio-Resources-Indicator AVP | Fully compliant. | - |
| 7.2.160Da | RAN-End-Timestamp AVP | Fully compliant. | - |
| 7.2.160Db | RAN-Secondary-RAT-Usage-Report AVP | Not applicable. | Refer to child AVP compliance. |

| Section | Section Heading | Compliance | Notes |
|-----------|--|------------------|--------------------------------|
| 7.2.160Dc | RAN-Start-Timestamp AVP | Fully compliant. | - |
| 7.2.160E | Rate-Control-Max-Message-Size AVP | Fully compliant. | - |
| 7.2.160F | Rate-Control-Max-Rate AVP | Fully compliant. | - |
| 7.2.160G | Rate-Control-Time-Unit AVP | Fully compliant. | - |
| 7.2.161 | Rate-Element AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.162 | Read-Reply-Report-Requested AVP | Fully compliant. | - |
| 7.2.163 | Void | Not applicable. | - |
| 7.2.164 | Real-Time-Tariff-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.164A | Reason-Header AVP | Fully compliant. | - |
| 7.2.165 | Received-Talk-Burst-Time AVP | Fully compliant. | - |
| 7.2.166 | Received-Talk-Burst-Volume AVP | Fully compliant. | - |
| 7.2.167 | Recipient-Address AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.168 | Recipient-Info AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.169 | Recipient-Received-Address AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.170 | Recipient-SCCP-Address | Fully compliant. | - |
| 7.2.171 | Refund-Information AVP | Fully compliant. | - |
| 7.2.171A | Relationship-Mode AVP | Fully compliant. | - |
| 7.2.171Aa | Related-Change-Condition-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.171Ab | Related-Trigger AVP | Not compliant. | - |
| 7.2.171B | Related-IMS-Charging-Identifier AVP | Fully compliant. | - |
| 7.2.171C | Related-IMS-Charging-Identifier-Node AVP | Fully compliant. | - |
| 7.2.171D | Relay-IP-address AVP | Fully compliant. | - |
| 7.2.172 | Remaining-Balance AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.173 | Reply-Applic-ID AVP | Fully compliant. | - |
| 7.2.174 | Reply-Path-Requested AVP | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|-----------|-------------------------------|------------------|--------------------------------|
| 7.2.175 | Reporting-Reason AVP | Fully compliant. | - |
| 7.2.176 | Requested-Party-Address AVP | Fully compliant. | - |
| 7.2.176A | Requested-PLMN-Identifier AVP | Fully compliant. | - |
| 7.2.176B | Requestor-PLMN-Identifier AVP | Fully compliant. | - |
| 7.2.177 | Role-Of-Node AVP | Fully compliant. | - |
| 7.2.177aA | Role-Of-ProSe-Function AVP | Fully compliant. | - |
| 7.2.177A | Route-Header-Received AVP | Fully compliant. | - |
| 7.2.177B | Route-Header-Transmitted AVP | Fully compliant. | - |
| 7.2.178 | Scale-Factor AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.178aA | SCEF-Address AVP | Fully compliant. | - |
| 7.2.178A | SCS-Address AVP | Fully compliant. | - |
| 7.2.178B | SCS-AS-Address AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.178C | SCS-Realm AVP | Fully compliant. | - |
| 7.2.179 | SDP-Answer-Timestamp AVP | Fully compliant. | - |
| 7.2.180 | SDP-Media-Component AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.181 | SDP-Media-Description AVP | Fully compliant. | - |
| 7.2.182 | SDP-Media-Name AVP | Fully compliant. | - |
| 7.2.183 | SDP-Offer-Timestamp AVP | Fully compliant. | - |
| 7.2.184 | SDP-Session-Description AVP | Fully compliant. | - |
| 7.2.185 | SDP-TimeStamps AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.186 | SDP-Type AVP | Fully compliant. | - |
| 7.2.186A | Session-Direction AVP | Fully compliant. | - |
| 7.2.187 | Served-Party-IP-Address AVP | Fully compliant. | - |
| 7.2.188 | Void | Not applicable. | - |
| 7.2.188A | Secondary-RAT-Type AVP | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|----------|-------------------------------------|------------------|--------------------------------|
| 7.2.189 | Service-Data-Container AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.190 | Service-ID AVP | Fully compliant. | - |
| 7.2.191 | Service-Generic-Information AVP | Fully compliant. | - |
| 7.2.192 | Service-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.193 | Service-Mode AVP | Fully compliant. | - |
| 7.2.194 | Service-Specific-Data AVP | Fully compliant. | - |
| 7.2.195 | Service-Specific-Info AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.196 | Service-Specific-Type AVP | Fully compliant. | - |
| 7.2.197 | Void | Not applicable. | - |
| 7.2.197a | Serving-Node-Identity | Fully compliant. | - |
| 7.2.198 | Serving-Node-Type AVP | Fully compliant. | - |
| 7.2.198A | SGi-PtP-Tunnelling-Method AVP | Fully compliant. | - |
| 7.2.199 | SGSN-Address AVP | Fully compliant. | - |
| 7.2.199A | SGW-Address AVP | Fully compliant. | - |
| 7.2.200 | SGW-Change AVP | Fully compliant. | - |
| 7.2.201 | SIP-Method AVP | Fully compliant. | - |
| 7.2.202 | SIP-Request-Timestamp AVP | Fully compliant. | - |
| 7.2.203 | SIP-Request-Timestamp-Fraction AVP | Fully compliant. | - |
| 7.2.204 | SIP-Response-Timestamp AVP | Fully compliant. | - |
| 7.2.205 | SIP-Response-Timestamp-Fraction AVP | Fully compliant. | - |
| 7.2.205A | SM-Device-Trigger-Indicator AVP | Fully compliant. | - |
| 7.2.205B | SM-Device-Trigger-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.206 | SM-Discharge-Time AVP | Fully compliant. | - |
| 7.2.207 | SM-Message-Type AVP | Fully compliant. | - |
| 7.2.208 | SM-Protocol-Id AVP | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|----------|---------------------------|------------------|--------------------------------|
| 7.2.208A | SM-Sequence-Number AVP | Fully compliant. | - |
| 7.2.209 | SM-Status AVP | Fully compliant. | - |
| 7.2.210 | SM-User-Data-Header AVP | Fully compliant. | - |
| 7.2.211 | SMS-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.212 | SMS-Node AVP | Fully compliant. | - |
| 7.2.212A | SMS-Result AVP | Fully compliant. | - |
| 7.2.213 | SM-Service-Type AVP | Fully compliant. | - |
| 7.2.214 | SMSC-Address AVP | Fully compliant. | - |
| 7.2.214A | Start-of-Charging AVP | Fully compliant. | - |
| 7.2.215 | Start-Time AVP | Fully compliant. | - |
| 7.2.215A | Status-AS-Code AVP | Fully compliant. | - |
| 7.2.216 | Stop-Time AVP | Fully compliant. | - |
| 7.2.217 | Submission-Time AVP | Fully compliant. | - |
| 7.2.218 | Subscriber-Role AVP | Fully compliant. | - |
| 7.2.219 | Supplementary-Service AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.219A | TAD-Identifier AVP | Fully compliant. | - |
| 7.2.220 | Talk-Burst-Exchange AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.221 | Talk-Burst-Time AVP | Fully compliant. | - |
| 7.2.222 | Talk-Burst-Volume AVP | Fully compliant. | - |
| 7.2.222A | Target-IP-Address AVP | Fully compliant. | - |
| 7.2.223 | Tariff-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.224 | Tariff-XML AVP | Fully compliant. | - |
| 7.2.224A | Teleservice AVP | Fully compliant. | - |
| 7.2.225 | Terminating-IOI AVP | Fully compliant. | - |
| 7.2.225A | Time-First-Reception AVP | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|-----------|------------------------------------|------------------|--------------------------------|
| 7.2.225B | Time-First-Transmission AVP | Fully compliant. | - |
| 7.2.226 | Time-First-Usage AVP | Fully compliant. | - |
| 7.2.226A | Time-Indicator AVP | Fully compliant. | - |
| 7.2.227 | Time-Last-Usage AVP | Fully compliant. | - |
| 7.2.228 | Time-Quota-Mechanism | Not compliant. | - |
| 7.2.229 | Time-Quota-Threshold AVP | Not compliant. | - |
| 7.2.230 | Time-Quota-Type AVP | Not compliant. | - |
| 7.2.231 | Time-Stamps AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.232 | Time-Usage AVP | Fully compliant. | - |
| 7.2.232A | TLTRI AVP | Fully compliant. | - |
| 7.2.233 | Traffic-Data-Volumes AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.233A | Transcoder-Inserted-Indication AVP | Fully compliant. | - |
| 7.2.233B | Transit-IOI-List AVP | Fully compliant. | - |
| 7.2.233C | Transmitter-Info AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.234 | Token-Text AVP | Fully compliant. | - |
| 7.2.235 | Trigger AVP | Not compliant. | - |
| 7.2.236 | Trigger-Type AVP | Not compliant. | - |
| 7.2.237 | Trunk-Group-ID AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.237aA | Void | Not applicable. | - |
| 7.2.237A | Void | Not applicable. | - |
| 7.2.237B | Void | Not applicable. | - |
| 7.2.237Ba | TWAG-Address AVP | Fully compliant. | - |
| 7.2.237C | TWAN-User-Location-Info AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.238 | Type-Number AVP | Fully compliant. | - |
| 7.2.238A | UNI-PDU-CP-Only-Flag AVP | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|------------|--|------------------|--------------------------------|
| 7.2.239 | Unit-Cost AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.240 | Unit-Quota-Threshold AVP | Not compliant. | - |
| 7.2.240a | Unused-Quota-Timer AVP | Not compliant. | - |
| 7.2.240A | User-CSG-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.240B | Usage-Information-Report-Sequence-Number AVP | Fully compliant. | - |
| 7.2.241 | User-Participating-Type AVP | Fully compliant. | - |
| 7.2.242 | User-Session-Id AVP | Fully compliant. | - |
| 7.2.242aaA | UWAN-User-Location-Info AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.242aA | Variable-Part AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.242aB | Variable-Part-Order AVP | Fully compliant. | - |
| 7.2.242aC | Variable-Part-Type AVP | Fully compliant. | - |
| 7.2.242aD | Variable-Part-Value AVP | Fully compliant. | - |
| 7.2.242A | VCS-Information AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.242B | VLR-Number AVP | Fully compliant. | - |
| 7.2.243 | Volume-Quota-Threshold AVP | Not compliant. | - |
| 7.2.244 | Void | Not applicable. | - |
| 7.2.245 | Void | Not applicable. | - |
| 7.2.246 | Void | Not applicable. | - |
| 7.2.247 | Void | Not applicable. | - |
| 7.2.248 | Void | Not applicable. | - |
| 7.2.249 | Void | Not applicable. | - |
| 7.2.250 | Void | Not applicable. | - |
| 7.2.251 | WLAN-Operator-Id AVP | Not applicable. | Refer to child AVP compliance. |
| 7.2.252 | WLAN-Operator-Name AVP | Fully compliant. | - |
| 7.2.253 | WLAN-PLMN-Id AVP | Fully compliant. | - |

| Section | Section Heading | Compliance | Notes |
|---------|----------------------|-----------------|-------|
| 7.3 | 3GPP2 specific AVPs | Not compliant. | - |
| 7.4 | ETSI specific AVPs | Not compliant. | - |
| 7.5 | oneM2M specific AVPs | Not compliant. | - |
| Annex A | Bibliography | Not applicable. | - |
| Annex B | Change history | Not applicable. | - |

Table 12: N2DSG compliance to TS 32.299

7 Appendix A: Example CAMEL-Diameter Mapping

An example mapping of information for credit control requests between CAMEL and Diameter for voice calls is shown below.

7.1 Example Credit-Control-Request for CAMEL

| Field | Vendor ID | AVP Code | Data Type | Presence (MO) | | | Presence (MF) | | | Presence (MT) | | | Notes |
|----------------------------------|-----------|----------|------------------|---------------|---|---|---------------|---|---|---------------|---|---|--|
| | | | | I | U | T | I | U | T | I | U | T | |
| Session-Id | 0 | 263 | UTF8String | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Origin-Host | 0 | 264 | DiameterIdentity | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Origin-Realm | 0 | 296 | DiameterIdentity | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Destination-Realm | 0 | 283 | DiameterIdentity | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Auth-Application-Id | 0 | 258 | Unsigned32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Set to 4 (DIAMETER_CREDIT_CONTROL). |
| Service-Context-Id | 0 | 461 | UTF8String | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| CC-Request-Type | 0 | 461 | Enumerated | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Initial interrogation: Set to 1 (INITIAL_REQUEST) Interim interrogation: Set to 2 (UPDATE_REQUEST) Final interrogation: Set to 3 (TERMINATION_REQUEST) |
| CC-Request-Number | 0 | 415 | Unsigned32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Event-Timestamp | 0 | 55 | Time | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Set to the time that this request was sent. |
| Subscription-Id | 0 | 443 | Grouped | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Subscription-Id-Type | 0 | 450 | Enumerated | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Set to 0 (END_USER_E164). |
| Subscription-Id-Data | 0 | 444 | UTF8String | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | MO: Set to CAMEL <i>Calling Party Number</i> . MF: Set to CAMEL <i>Last Redirecting Party Number</i> . MT: Set to CAMEL <i>Called Party Number</i> . |
| Multiple-Services-Indicator | 0 | 455 | Enumerated | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Set to 1 (MULTIPLE_SERVICES_SUPPORTED). |
| Multiple-Services-Credit-Control | 0 | 456 | Grouped | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Requested-Service-Unit | 0 | 437 | Grouped | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | - |
| CC-Time | 0 | 420 | Unsigned32 | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | - |
| Used-Service-Unit | 0 | 446 | Grouped | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | - |
| CC-Time | 0 | 420 | Unsigned32 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | - |

| Field | Vendor ID | AVP Code | Data Type | Presence (MO) | | | Presence (MF) | | | Presence (MT) | | | Notes |
|-----------------------|-----------|----------|-------------|---------------|-----|-----|---------------|-----|-----|---------------|-----|-----|---|
| | | | | I | U | T | I | U | T | I | U | T | |
| Service-Identifier | 0 | 439 | Unsigned32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Rating-Group | 0 | 432 | Unsigned32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Service-Information | 10415 | 873 | Grouped | 0-1 | 0-1 | 0-1 | 0-1 | 0-1 | 0-1 | 0-1 | 0-1 | 0-1 | - |
| VCS-Information | 10416 | 874 | Grouped | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Bearer-Capability | 10415 | 3412 | OctetString | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Set according to ETSI 300 356-1 based on information provided by the network. Voice: set to 0x00. Video: set to 0x08. |
| MSC-Address | 10415 | 3417 | OctetString | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Set to the CAMEL <i>MSC Address</i> , as provided by the network. |
| ISUP-Location-Number | 10415 | 3414 | OctetString | 0-1 | 0-1 | 0 | 0-1 | 0-1 | 0 | 0-1 | 0-1 | 0 | MO: Set to CAMEL <i>Location Information</i> → <i>VLR Number</i> , if provided by the network. MF: Set to CAMEL <i>MSC Address</i> , as provided by the network. MT: Set to CAMEL <i>Location Information</i> → <i>VLR Number</i> , if provided by the network. |
| VLR-Number | 10415 | 3420 | | 0-1 | 0-1 | 0 | 0 | 0 | 0 | 0-1 | 0-1 | 0 | Set to CAMEL <i>Location Information</i> → <i>VLR Number</i> , if provided by the network. |
| LCS-Information | 10415 | 878 | Grouped | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| 3GPP-IMSI | 10415 | 1 | UTF8String | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Set to the CAMEL <i>IMSI</i> , as provided by the network. |
| IMS-Information | 10415 | 876 | Grouped | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Calling-Party-Address | 10415 | 831 | UTF8String | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Set to the calling party number, normalised from the CAMEL <i>Calling Party Number</i> received from the network. Note: this does not include the URI prefix as it will always be E.164, i.e. <i>tel</i> . |
| Called-Party-Address | 10415 | 832 | UTF8String | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Set to the called party number, normalised preferentially from the CAMEL <i>Called Party Number</i> or CAMEL <i>Called Party BCD Number</i> , received from the network. Note: this does not include the URI prefix as it will always be E.164, i.e. <i>tel</i> . |
| Event-Type | 10415 | 823 | Grouped | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | - |

| Field | Vendor ID | AVP Code | Data Type | Presence (MO) | | | Presence (MF) | | | Presence (MT) | | | Notes |
|-------------------------|-----------|----------|------------|---------------|---|---|---------------|---|---|---------------|-----|-----|--|
| | | | | I | U | T | I | U | T | I | U | T | |
| Event | 10415 | 825 | UTF8String | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | MO: Set to <i>MO</i> . MF: Set to <i>MF</i> . MT: Set to <i>MT</i> . |
| Requested-Party-Address | 10415 | 1251 | UTF8String | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Set to the dialled digits, as provided by the network. MO: Set to CAMEL <i>Called Party BCD Number</i> . MF: Set to CAMEL <i>Original Called Party ID</i> . MT: Set to CAMEL <i>Called Party Number</i> . |
| MMTel-Information | 10415 | 2030 | Grouped | 0 | 0 | 0 | 0 | 0 | 0 | 0-1 | 0-1 | 0-1 | - |
| Supplementary-Service | 10415 | 2048 | Grouped | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | - |
| MMTel-SService-Type | 10415 | 2031 | UTF8String | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | Whether the calling party presentation restriction indicator is set by the network, i.e. the calling party should remain anonymous. Restricted: set to 1. Otherwise: not included. |

Table 13: Example Credit-Control-Request for CAMEL charging

7.2 Example Credit-Control-Answer for CAMEL

| Field | Vendor ID | AVP Code | Data Type | Presence (MO) | | | Presence (MF) | | | Presence (MT) | | | Notes |
|----------------------------------|-----------|----------|------------------|---------------|-----|---|---------------|-----|---|---------------|-----|---|--|
| | | | | I | U | T | I | U | T | I | U | T | |
| Session-Id | 0 | 263 | UTF8String | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Result-Code | 0 | 268 | Unsigned32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Origin-Host | 0 | 264 | DiameterIdentity | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Origin-Realm | 0 | 296 | DiameterIdentity | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Auth-Application-Id | 0 | 258 | Unsigned32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| CC-Request-Type | 0 | 461 | Enumerated | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| CC-Request-Number | 0 | 415 | Unsigned32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Multiple-Services-Credit-Control | 0 | 456 | Grouped | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Granted-Service-Unit | 0 | 431 | Grouped | 0-1 | 0-1 | 0 | 0-1 | 0-1 | 0 | 0-1 | 0-1 | 0 | - |
| CC-Time | 0 | 420 | Unsigned32 | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | The number of seconds to allow for charging. |
| Service-Identifier | 0 | 439 | Unsigned32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |

| Field | Vendor ID | AVP Code | Data Type | Presence (MO) | | | Presence (MF) | | | Presence (MT) | | | Notes |
|-----------------------|-----------|----------|------------|---------------|-----|---|---------------|-----|---|---------------|-----|---|--|
| | | | | I | U | T | I | U | T | I | U | T | |
| Rating-Group | 0 | 432 | Unsigned32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Validity-Time | 0 | 448 | Unsigned32 | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | Must be greater than the CC-Time value plus the longest possible routing and ringing time. |
| Result-Code | 0 | 268 | Unsigned32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Indicates status of credit control. |
| Final-Unit-Indication | 0 | 430 | Grouped | 0-1 | 0-1 | 0 | 0-1 | 0-1 | 0 | 0-1 | 0-1 | 0 | Indicates that no further reservations will be granted for this session. |
| Final-Unit-Action | 0 | 449 | Enumerated | 1 | 1 | - | 1 | 1 | - | 1 | 1 | - | Set to 0 (TERMINATE). |

Table 14: Example Credit-Control-Answer for CAMEL charging

8 Appendix B: N-Squared Diameter AVPs

The N2DSG natively supports the following N-Squared vendor-specific AVPs. These AVPs are used to carry additional information that is not easily transmissible using IANA and 3GPP standard AVPs. These AVPs are not sent or read by default but may be configured as required. Refer to the N2DSG Technical Guide [R-1] for further details.

All N-Squared vendor-specific AVPs have a Diameter Vendor-Id of **56540 (N-Squared Software (NZ) Limited)** and have both the **V** and **M** flags set, i.e. are vendor-specific and are mandatory.

| Name | Code | Type | Notes |
|-------------------------|------|-------------|--|
| Address-Digits | 102 | UTF8String | The telephony digits of a network endpoint, as received from the network. |
| Address-Digits-Derived | 106 | UTF8String | The normalised telephony digits of a network endpoint, as determined by the N2DSG based on the received address information from the network. |
| Address-Plan | 104 | Enumerated | The numbering plan of a network endpoint, as determined by the N2DSG based on the received address information from the network. Possible values are: <ul style="list-style-type: none"> • E.164/ISDN: set to 1. • E.212: set to 2. • Other: set to 3. |
| Address-Presentation | 105 | Enumerated | The presentation restriction type of a network endpoint, as determined by the N2DSG based on the received address information from the network. Possible values are: <ul style="list-style-type: none"> • Not restricted: set to 1. • Restricted: set to 2. • Unknown: set to 3. |
| Address-Type | 103 | Enumerated | The type of address of a network endpoint, as determined by the N2DSG based on the received address information from the network. Possible values are: <ul style="list-style-type: none"> • International: set to 1. • Unknown: set to 2. • National: set to 3. • Other: set to 4. |
| Bearer-Capability | 107 | OctetString | Set according to ETSI 300 356-1 based on information provided by the network. |
| CGI-Cell-Id | 114 | OctetString | Contains the Initial DP CGI cell ID, as provided by the network. |
| CGI-Location-Area-Code | 113 | OctetString | Contains the Initial DP CGI LAC, as provided by the network. |
| CGI-Mobile-Country-Code | 111 | Unsigned32 | Contains the Initial DP CGI MCC, as provided by the network. |
| CGI-Mobile-Network-Code | 112 | Unsigned32 | Contains the Initial DP CGI MNC, as provided by the network. |
| IMSI | 108 | UTF8String | Set to the Initial DP <i>IMSI</i> , as provided by the network. |

| Name | Code | Type | Notes |
|----------------------------|------|---------|---|
| INAP-Called-Party-Address | 12 | Grouped | <p>Contains information for INAP or CAMEL called party information.</p> <pre> <INAP-Called-Party-Address> ::= < AVP Header: 12 > { Address-Digits } { Address-Type } { Address-Plan } { Address-Presentation } { Address-Digits-Derived } * [AVP] </pre> |
| INAP-Calling-Party-Address | 11 | Grouped | <p>Contains information for INAP or CAMEL calling party information.</p> <pre> <INAP-Calling-Party-Address> ::= < AVP Header: 11 > { Address-Digits } { Address-Type } { Address-Plan } { Address-Presentation } { Address-Digits-Derived } * [AVP] </pre> |
| INAP-Information | 1 | Grouped | <p>Contains information for call triggers received from INAP or CAMEL networks.</p> <pre> <INAP-Information> ::= < AVP Header: 1 > { INAP-Trigger-Type } { INAP-Calling-Party-Address } { INAP-Called-Party-Address } { Bearer-Capability } { MSC-Address } [VLR-Number] [INAP-Redirecting-Party-Address] [IMSI] [CGI-Mobile-Country-Code] [CGI-Mobile-Network-Code] [CGI-Location-Area-Code] [CGI-Cell-Id] [Location-Number] [Location-Number-LI] [Location-Age] * [AVP] </pre> |

| Name | Code | Type | Notes |
|--------------------------------|------|-------------|---|
| INAP-Redirecting-Party-Address | 13 | Grouped | <p>Contains information for INAP or CAMEL redirecting party information.</p> <pre> <INAP-Redirecting-Party-Address> ::= < AVP Header: 13 > { Address-Digits } { Address-Type } { Address-Plan } { Address-Presentation } { Address-Digits-Derived } * [AVP] </pre> |
| INAP-Trigger-Type | 101 | Enumerated | <p>The derived type of call attempt for INAP or CAMEL calls. Possible values are:</p> <ul style="list-style-type: none"> • Originating call attempt: set to 1. • Forwarding call attempt: set to 2. • Terminating call attempt: set to 3. |
| Location-Age | 115 | Unsigned32 | The age of the Initial DP location information details, as provided by the network. |
| Location-Number | 116 | OctetString | Set to the Initial DP <i>Location Number</i> , as provided by the network. |
| Location-Number-LI | 117 | OctetString | Set to the Initial DP <i>Location Information</i> → <i>Location Number</i> , as provided by the network. |
| MSC-Address | 109 | UTF8String | Set to the Initial DP <i>MSC Address</i> , as provided by the network. |
| Tag-Information | 2 | Grouped | <p>Contains information for a single N2DSG tag and its derived value. Refer to the N2DSG Technical Guide [R-1] for further details.</p> <pre> <Tag-Information> ::= < AVP Header: 2 > { Tag-Name } { Tag-Value } * [AVP] </pre> |
| Tag-Name | 201 | UTF8String | The name of the tag, as configured in N2DSG. Refer to the N2DSG Technical Guide [R-1] for further details. |
| Tag-Value | 202 | UTF8String | The stringified value of the tag, set as configured in N2DSG. Refer to the N2DSG Technical Guide [R-1] for further details. |
| VLR-Number | 110 | UTF8String | Set to the Initial DP <i>VLR Number</i> , as provided by the network. |

Table 15: N-Squared vendor-specific AVPs